


CONTROL APPROVAL SYMBOL SPMCS -85

# WEEKLY HEALTH REPORT

CURRENT DISEASE AND HOSPITALIZATION DATA FOR THE ARMY
IN THE CONTINENTAL UNITED STATES



FORM SG 396a, REVISED I NOV. 1943

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL MEDICAL STATISTICS DIVISION, HEALTH REPORTS BRANCH

PER 1000 STRENGTH

INJURY

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT, 50 U.S.C., 31 AND 32, AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEK ENDING 24 MARCH 1944

# CONTENTS

A STATE OF THE PROPERTY OF THE	PAGE
NATURE OF THE DATA	2
CHART SHOWING TREND OF MORBIDITY IN CONTINENTAL UNITED STATES	3
CHART SHOWING VARIATIONS IN MORBIDITY BY SERVICE COMMANDS	4
COMMENT ON CURRENT TRENDS	5
CHART SHOWING TREND OF NON-EFFECTIVE RATE AND PATIENTS REMAINING UNDER TREATMENT	6
CHART SHOWING HOSPITALIZATION DATA	8
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	10
CURRENT WEEK'S MORBIDITY AND HOSPITALIZATION DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	12
LIST OF STATIONS WITH HIGHEST MORBIDITY RATES	27
CURRENT WEEK'S DATA FOR GENERAL HOSPITALS	
LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST	32
REVIEW OF MORBIDITY DATA FOR 1942 AND 1943	33

#### NATURE OF THE DATA

The data presented here are taken from the Statistical Reports, Forms 86ab, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (i).

#### MORBIDITY DATA

Admissions are reported only for cases hospitalised or confined to quarters and excused from duty for 2h hours or more, except for certain cases carded for record only (chiefly venereal disease cases which are treated on a duty status, and deaths which occurred before being "admitted" to hospital or quarters). Admissions designated as "injury" comprise all traumatisms (i.e. morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, and reactions to medications). All other cases are classified as "disease", bearing in mind that under present conditions there would not be any direct admissions in the continental U.S. properly classifiable as battle casualties.

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The number of patients remaining in hospital at the end of the week per thousand strength as given in this report furnishes an approximation to the current non-effective rate. The mean number of non-effectives per thousand strength is given in the summary table for the total United States and for each of the Service Commands.

#### MORTALITY DATA

Recent studies indicate that the reporting of deaths on Forms 86ab is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 25 percent and occasionally even more, but the death rate from disease is not materially understated. Readers are cautioned not to use the deaths from injury or the deaths from all causes shown in these reports as accurate indications of mortality.

#### STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having a

strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table.

#### HOSPITALIZATION DATA

Current hospitalization conditions are presented in terms of bed capacity (normal and total), total beds occupied and beds "available vacant".

Unless otherwise specified, normal bed capacity in this report is defined in Par 36b (1) and (2) of AR 40-1080, 10 December 1943 and Par 14 WD Circular 43, 1 February 1944. This includes the T/O capacity of non-fixed hospitals but excludes convalescent facilities. Total beds include expansion beds in addition to normal beds. Beds in dispensaries, convalescent facilities, venereal disease facilities, and college or university training units are not included in the tabulations for individual stations.

The number of beds "available vacant" is defined as 80% of the total capacity less the corresponding beds occupied. The number of beds "available vacant" for each Service Command is the total beds "available vacant" for only those stations in which 80% of the total bed capacity exceeds the beds occupied.

In the case of general hospitals there are shown, in addition, the number of Army patients admitted and disposed of during the week (by death, return to duty, transfer, or otherwise), the number of such patients remaining in hospital (including convalescent facilities, if any) at the end of the week, and corresponding data for battle casualties. The bed capacity and beds occupied in convalescent facilities are also indicated. The patients "otherwise" disposed of represent for the most part discharges on account of disability. In the case of Army battle casualties, all of which are currently admitted to general hospitals in this country as transfers, there is shown for each hospital the net number transferred during the week; i.e., admissions by transfer less dispositions by transfer. The total for the country as a whole represents the number of battle casualties evacuated to the United States from overseas theaters.

#### EXPLANATORY MATTER


In reading the detail tables, it should be borne in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station has not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.

# MORBIDITY FROM

COLDS, INFLUENZA, ETC.

RESTRICTED




MORBIDITY FROM

- ALL CAUSES

---- DISEASE ONLY

COLDS, INFLUENZA, ETC.



FOR THE WEEK ENDING 24 MARCH 1944

#### COMMENT ON CURRENT TRENDS

#### CURRENT MORBIDITY IN THE CONTINENTAL UNITED STATES

All Causes: Disease and Injury:

As indicated in the chart on page 3, the admission rates from all causes and from disease both decreased about 4 percent, reflecting chiefly a corresponding decline in morbidity from respiratory causes. The general downward trend in morbidity from all causes and from disease thus again became manifest, with admission rates continuing well below those for the corresponding period in 1943. For the week ending 24 March 1944 the admission rate from all causes was reported at 692 per year per thousand, while the admission rate from disease was reported at 622 per year both being about 30 percent below the corresponding rates for the week ending 26 March 1943. The admission rate from injury continued on the low level, which has prevailed in recent months.

Respiratory Causes:

The admission rate from colds, influenza, etc. continued downward and for the week ending 24 March 1944 was reported at 197 per year per thousand or about 10 percent lower than for the preceding week. Since about the middle of January until early March 1944, morbidity from these causes has been about 35 percent below that recorded for the corresponding period of 1943, and for the last two weeks reported on, this difference widened to 40 percent. The admission rate from all forms of pneumonia declined to 15 per thousand, which is about 10 percent under the preceding week's rate and about 40 percent under the rate for the corresponding week of 1943.

Common Communicable Diseases:

New cases of mumps increased sharply to the highest figure reported for any week in 1944. New cases of measles and scarlet fever both declined. The number of cases of meningitis increased slightly as did the number of cases of rheumatic fever, the latter reaching the highest weekly total reported during the last six months.


#### VARIATIONS IN MORBIDITY BY SERVICE COMMAND:

All Causes: Disease and Injury:

Substantial declines in admission rates from all causes and from disease were registered in the First and Second Service Commands. The Sixth, Seventh, and Ninth Service Commands reported moderate decreases in admission rates and only the Third and Fifth Service Commands experienced slightly higher morbidity. In the Second Service Command the sharp decreases in the admission rates from all causes and from disease reflected a corresponding decrease in morbidity from colds, influenza, etc. In the First Service Command lower admission rates from respiratory causes were only partly responsible for the decline in morbidity. As in preceding weeks, the


# NON-EFFECTIVE RATE

CONTINENTAL UNITED STATES



# PATIENTS REMAINING UNDER TREATMENT

CONTINENTAL UNITED STATES



FOR THE WEEK ENDING 24 MARCH 1944

# COMMENT ON CURRENT TRENDS (CONT'D)

Sixth Service Command again reported the highest admission rate from all causes (898 per thousand) and from disease (842 per thousand). The First Service Command displaced the Eighth Service Command as the one with the lowest morbidity from all causes (590 per thousand) although the Eighth Service Command continued to have the lowest morbidity from disease (529 per thousand).

Respiratory Causes:

All Service Commands reported lower admission rates from colds, influenza, etc. By far the largest decrease occurred in the Second Service Command, but the Sixth, First and Third Service Commands also reported sizeable declines in morbidity from these causes. Nevertheless the Sixth Service Command continued to experience the highest morbidity from colds, influenza, etc. (350 per thousand), while the lowest admission rate (130 per thousand) was again reported by the Eighth Service Command. Declines in morbidity from pneumonia were reported from the Second and Third Service Commands, while the Sixth Service Command reported increased morbidity from this cause as well as the highest incidence in the country.

Common Communicable Diseases:

Sharp increases in morbidity from venereal diseases (excluding EPTS cases) were registered in the Third and Fifth Service Commands, while the Second Service Command which had reported the highest morbidity from these causes for the week ending 17 March 1944, showed a markedly lower admission rate. As a result the Fifth Service Command experienced the highest morbidity from venereal diseases (41 per thousand) during the week ending 24 March 1944. The largest increases in the number of new cases of mumps occurred in the Fourth and Seventh Service Commands, with the former accounting for nearly 30 percent of the total number of new cases of mumps in the country. New cases of measles dropped very sharply in the Seventh Service Command, but increased in the Fourth Service Command; the latter accounted for over 25 percent of the total number of the new cases of measles. The number of new cases of meningitis about doubled in the Fourth Service Command, with the result that this Service Command reported 40 percent of the new cases of meningitis in the country.


#### NON EFFECTIVE RATE:

The non-effective rate declined slightly for the fourth successive week and was reported at 38.2 per thousand strength for the week ending 24 March 1944. This is the lowest non-effective rate experienced since the week ending 2 October 1943.

The variations in the non-effective rate by Service Command do not reflect so much the variations in morbidity by Service Command as the different numbers of General Hospitals in each Service Command. When comparisons are made between the non-effective rates for each of the Service Commands excluding General Hospitals, the variations are seen to be very much smaller than when the days lost in General Hospitals are included.

# HOSPITALIZATION DATA"

CONTINENTAL UNITED STATES



FOR THE WEEK ENDING 24 MARCH 1944

# COMMENT ON CURRENT TRENDS (CONT'D)

PATIENTS REMAINING UNDER TREATMENT:

The total number of Army patients remaining in hospital at the end of the week decreased to about 37 per thousand strength.

Since the last week of January 1944 the number of neuropsychiatric cases remaining has fluctuated in the range from 16,000 to 17,000 and for the week ending 24 March 1944 was reported at 16,603. The number of malaria cases under treatment has declined in recent weeks from a high of 2230 on 25 February to 2003 on 24 March 1944; only 13 of the 2003 malaria cases presumably were acquired in the United States. The number of tuberculosis cases remaining under treatment was reported at 1102 as of 24 March 1944.

#### CURRENT HOSPITAL CONDITIONS:

The total bed capacity as of 24 March 1944 was reported at about 378,000 or 3000 less than at the end of the previous week. The number of beds occupied was nearly 160,000 or 2000 less than at the end of the previous week, while the number of "available vacant" beds remained almost stationary at 143,000. Total beds occupied represented 53 percent of total bed capacity. There were 11 stations with bed capacity of about 3,300 having no "available vacant" beds; no General Hospitals were included among them.

The number of normal beds reported remained stationary during the week and as of 24 March 1944 stood at about 297,000 or 78 percent of the total bed capacity. Included in the normal bed capacity on 24 March 1944 were 8,250 tentage and non-fixed hospital beds in maneuver areas, while the total bed capacity included 8,635 such beds.

The total bed capacity of General Hospitals, which has shown a steady increase in recent months, was reported at about 100,000 as of 24 March 1944. On the same date about 49,000 of these beds (or 49 percent) were occupied. The "available vacant" beds at General Hospitals numbered 31,000 as of 24 March 1944. Normal beds at General Hospitals have been maintained at a level of about 85,000 since the beginning of the year.

The total bed capacity of Station Hospitals (including the relatively small number of beds in maneuver areas mentioned above) has remained practically level since the beginning of the year at about 275,000 beds, while the normal beds in these hospitals declined sharply from 250,000 as of 7 January 1944 to 212,000 as of 24 March 1944. Total beds occupied as of 24 March 1944 numbered 110,000 or about 40 percent of the corresponding total bed capacity. Station Hospitals had 112,000 "available vacant" beds as of 24 March 1944, the highest number yet reported.

As of 24 March 1944 the bed capacity of convalescent facilities in General Hospitals numbered 9982 beds of which 4,088 beds, or 41 percent, were occupied.

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

CONFIDENTIAL

								ADN	AIS	S 1 0								ER OF
SERVICE COMMAND	ME			1	PER 1000	RATE					ANN	PER 1000	ASE R				NONEFFI	
	STRE	NGIH	ALL C	AUSES	DISE	ASE	INJ	URY	COLDS, ENZA,	INFLU-		MONIA TYPICAL)	DIARRH		VENE (EXCL.		1000 ST	
CUR	RENT	WE	EK	С	O M	PAF	ED		WIT	Н		EVI		3	WE			
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current . week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current	Previous Week	Current Week	Previou Week
TOTAL UNITED STATES	4413890	4390021	692	721	622	652	70	69	197	219	15	17	8	7	30	30	38.2	38.9
FIRST SERVICE COMMAND	135542	127199	590	719	546	663	44	56	209	246	10	14	8	7	24	25	29.8	32.9
SECOND SERVICE COMMAND	216123	209516	845	945	794	885	51	60	274	37%	15	21	19	15	32	45	45.1	48.5
THIRD SERVICE COMMAND	280685	283870	831	807	769	753	62	54	265	300	20	26	6	9	37	27	42.7	43.7
MIL. DIST. OF WASHINGTON	59564	60245	715	727	677	699	38	28	210	225	34	33	5	6	14	14	图7.1	64.7
FOURTH SERVICE COMMAND	1217148	1209824	662	677	573	596	79	81	150	169	13	16	11	6	31	31	32.7	33.2
FIFTH SERVICE COMMAND	190087	195249	744	734	678	676	66	58	230	238	18	17	8	14	41	35	54.1	51.6
SIXTH SERVICE COMMAND	164374	167618	898	941	842	883	56	58	350	409	37	33	3	4	33	33	45.0	44.2
SEVENTH SERVICE COMMAND	385635	380468	861	891	795	829_	66	62	346	353	31	34	7	10	30	28	45.3	47.1
EIGHTH SERVICE COMMAND	969117	956464	602	617	529	546	73	71	130	151	8	10	5	5	30	33	34.1	35.1
NINTH SERVICE COMMAND	795615	799568	652	692	580	624	72	68	193	196	12	11	6	6	23	22	38,6	
CURRENT Y	EAR T	O DAT	TE (	COMP	ARE	D W	ITH			PON			RIO		EVI		YE	
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous	Current Year	Previous	Current	Previous	Year	Previous Year	Year	Previous Year	Current Year	Year
TOTAL UNITED STATES	4599220	4677195	782	993	713	918	69	75	280	422	20	25	9	5	29	26	39.4	37.0
FIRST SERVICE COMMAND	140006	147692	705	909	642	833	63	76	267	413	16	23	10	3	20	18	30.2	33.0
SECOND SERVICE COMMAND	236897	257434	910	1046	851	982	59	64	364	446	20	21	11	6	40	29	45.1	38.1
THIRD SERVICE COMMAND	305786	279533	892	952	828	889	64	63	362	350	23	27	10	2	27	24	42.0	34.8
MIL. DIST. OF WASHINGTON	61192	59697	817	716	783	685	34	31	306	291	33	52	10	5	14	22	64.8	54.7
FOURTH SERVICE COMMAND	1235291	1259488	742	936	668	859	74	77	243	419	19	27	10	7	31	29	35.6	34.6
FIFTH SERVICE COMMAND	205734	198366	802	1018	742	968	60	50	301	442	19	30	14	10	38	30	51.0	43.5
SIXTH SERVICE COMMAND	178227	187139	971	1264	911	1175	60	89	400	601	29	29	5	3	33	22	41.2	40.3
SEVENTH SERVICE COMMAND	401983	434907	981	1289	916	1215	65	74	435	571	44	39	9	3	28	18	45.8	46.0
EIGHTH SERVICE COMMAND	973851	1017538	712	975	637	898	75	77	224	394	14	21	7	5	28	32	36.7	34.4
NINTH SERVICE COMMAND	860253	835401	718	912	649	827	69	85	240	366	13	17	6	5	23	20	39.1	36.8

FORM 96-3968 REVISED 13 NOVEMBER 1943
CONFIDENTIAL

\*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

CONFIDENTIAL

	H					IISSIC	ONS CASES					NUMBER	?	NUMBER OF PATIENTS IN HOSPITAL AT END OF WEEK PER 1000 STRENGTH	P		OF BED	3
SERVICE COMMAND	MEAN	LES	S	NLET IER	M'COCCIC MENINGITIS	RHEUMAT I C FEVER	ATYPICAL PNEUMONIA	ULOSIS	MALAF	KEÚ	(	DEATH	3	HOSPI ND OF	GAPA	CITY	TOTAL	AVAILABLE
	r.	MEASLES	MUMPS	SCARLET	MENINGIT!	RHEUMAT	ATYPICAL	TUBERCU	USA	OUT OF USA	ALL CAUSES	DISEASE	INJURY	NUMBE IN AT E PER IC	NORMAL	TOTAL	OCCUPIED	VACANT
					С	UR	RE	NT		WE	EK							
TOTAL UNITED STATES	4413890	712	951	399	104	229	757	62	5	299	231	34	196	37	296694	378280	159874	143241
FIRST SERVICE COMMAND	135542	16	12	7			21	4		12	1		1	28	8059	10843	3713	4991
SECOND SERVICE COMMAND	216123	32	50	19	5	3	32	1	1	17	2		2	44	18572	22881	9206	9140
THIRD SERVICE COMMAND	280685	52	109	31	9	11	75	5	1	1.4	10	4	6	42	17635	22799	11124	7116
MIL. DIST. OF WASHINGTON	59564	10	32	1	1		26	2		9	5	2	2	65	3408	4983	3519	466
FOURTH SERVICE COMMAND	1217148	180	279	14	42	14	225	13	1	40	41	10	31	32	74236	96430	38882	38263
FIFTH SERVICE COMMAND	190087	41	48	23	1	9	29	5	2	12	14	2	12	53	19571	23587	9215	9663
SIXTH SERVICE COMMAND	164374	15	33	68	5	29	60	2		14	5	2	3	44	11684	14694	6982	4774
SEVENTH SERVICE COMMAND	385635	125	137	92	9	77	118	4		24	10	3	7	43	28183	36582	16838	12592
EIGHTH SERVICE COMMAND	969117	143	115	52	23	33	83	20		101	96	5	91	33	61346	77571	31061	31060
NINTH SERVICE COMMAND	795615	98	136	92	9	53	88	6		56	47	6	41	38	5400G	67010	29334	25176
					P	RE	V 1 . 0	ט נ	3	WE	EK							
TOTAL UNITED STATES	4390021	768	857	420	91	217	839	88	5	299	200	57	141	38	296532	381523	162247	143589
FIRST SERVICE COMMAND	127199	5	35	14	2	2	22	3		21	5	2	3	32	8053	10910	3977	4787
SECOND SERVICE COMMAND	209516	28	57	17	3	7	51	7		10	9	6	3	48	18658	23008	9776	8672
THIRD SERVICE COMMAND	283870	48	88	27	15	4	102	6	1	12	9	4	5	42	17637	23010	11425	6986
MIL. DIST. OF WASHINGTON	60245	9	9	6			28			5	1	1		63	3437	5141	3546	566
FOURTH SERVICE COMMAND	1209824	151	216	36	22	17	258	24	1	50	46	11	35	32	74046	97893	38461	39853
FIFTH SERVICE COMMAND	195249	48	40	18	3	7	30	4		12	6	1	5	52	1.9624	23983	9182	10081
SIXTH SERVICE COMMAND	167618	33	30	60	4	33	52	3		13	9	?	7	44	11671	14726	7231	4558
SEVENTH SERVICE COMMAND	380468	195	111	107	5	86	112	10		16	0	5	4	44	27833	36136	17100	11966
EIGHTH SERVICE COMMAND	956464	143	142	61	21	23	106	17	1	98	59	6	51	34	61437	78131	31692	30866
NINTH SERVICE COMMAND	799568	108	129	74	16	38	78	14	2	62	-0	19	28	-	41.16	63585	29357	25 <b>25</b> 4

FORM SG-396C, EVISED IS NOVEMBER 1943

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS TIVISION
HEALTH REPORTS BRA 3H

VOLUME IV REPORT NO. 12
WEEK ENDING 24 March 194 4

#### INDIVIDUAL STATIONS

CONFIDENTIAL

NUMBER OF CASES  NUMBER OF CASES  STATEMENT OF CASES  REVENUE AND A STATEMENT OF CASES  NUMBER OF CASES  REVENUE AND A STATEMENT OF CASES  REV	MALARIA ACQUIRED IN OUT USA USA  12 2 2 2 3 1	TATE CAUSES  OISEASE  1	H9	28 E 13 1 29 1 26 1 48 24 16 1 16 1	MAL TOTAL  059 1084  001 147  143 146  631 212  360 60  150 15	1 448 9 630 8 617 2 341 2 152	499 72 54 108 108 108 108
16     12     7     21     4       4     5     3     3       2     2     2     2     2       2     2     1     3       1     3     5       9     3     1     5     1       16     12     7     21     3	ACQUIRED OF USA IN OUT OF USA	1	1	28 8 8 13 1 29 1 26 3 48 24 16 1	001 147 143 146 631 212 360 60 150 15	3 3713 1 448 9 630 3 617 2 341 2 152	499 72 54 108
4 5 3 3 2 2 2 2 2 2 2 1 3 1 3 5 1 1 6 12 7 21 3	2 2 3 1 1 5	1	1	13 1 29 1 26 1 48 24 16 1	001 147 143 146 631 212 360 60 150 15	1 448 9 630 8 617 2 341 2 152	72 54 108
2 2 2 2 2 2 2 2 1 3 1 3 1 5 1 16 12 7 21 3	3 1			29 1 26 1 48 24 16 1	143 146 631 212 360 60 150 15	9 630 8 617 2 341 2 152	108
2 2 1 3 1 3 5 9 3 1 5 1 16 12 7 21 3	3 1			26 ] 48 24 16 ]	631 212 360 60 150 15	341 2 152	100
1 3 5 5 9 3 1 5 1 16 12 7 21 3	1			48 24 16 1	360 60 150 15	2 341	1 -
9 <b>3</b> 1 5 1 16 12 7 21 3	5			24	150 15	152	-
9 3 1 5 1 16 12 7 21 3				16 1			
16 12 7 21 3					E89 233	672	11
	311	1	,			1	
				21 5	974 815	2860	35
1	1			2	085 268	7 853	129

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis, Acute Laryngitis, and Pleurisy.

VOLUME IV REPORT NO. 12
WEEK ENDING 24 March 194 4

INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADN	IISS	ON	S								NU	JMB8 OF	ER	H W H		BER OND OF		
SERVICE COMMAND	EAN		IUAL RA			ANN ASE 1000								CA	SES			DE	EATH	48	PATIENTS END OF WE STRENGT	CAPA	CITY	NL VED	ABLE
STATION	STR	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PHEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	M**COCCIC	RHEUMAT IC FEVER	ATYPICAL PNEUMON I A	TUBER-		OUT OF USA	ALL CAUSES	DISEASE	INJURY	NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NORMAL	TOTAL	TOTAL	AVAILABLE
SECOND SERVICE COMMAND	216123	845	794	51	274			32	32	50	19	5	3	32	1	1	17	2		2	44	18572	22881	9206	914
Dix, Ft., N. J.	23034	946	867	79	156	14		27	5	2		1									28	1408	2021	705	91
Kilmer, Cp., N. J.	33050	730	699	31	370	25		57	4	20	7			10							17	1541	2019	575	104
Mitchel Fld., N. Y.	5489	502	445	57	246	28 ?	28 ?	28?	1	2				3							117	579	751	452	14
Monmouth, Pt., N. J.	22183	851	823	28	321	12?	14	5?	12	12			1	4			1				31	905	1162	-	23
New York, PoE, N. Y.	10651	581	547	34				34														All pe	tients ilton,	hospite Ft., N.	alize
Shanks, Cp., W. Y.	22904	372	361	11?	123	25		82	5	7	2	4		2		1					8	1259	1816	188	126
Upton, Cp., N. Y.	6682	2381	2342	39?	311		89	31?	1								2				38	565	743	367	22
Stations under 5000 strength & Misc. Units	82737	960	885	75	341	12	45	19	4	7	6		2	9	1		5	2		2	23	4058	5392	2097	225
TOTAL-ALL STATIONS EXCEPT GEN. HOSPITALS	206730	859	806	53	277	15	20	33	32	50	15	5	3	28	1	1	8	2		2	24	10315	13904	5082	608
MANAY CIMPEDAT INCOLUMATO	9393										4			4			9					8257	8977	4124	305
TOTAL GENERAL HOSPITALS	9393										-											GEOT	0077	2202	
					-																				
													-	-											
														-	-	-		-			_				
								-	_		-						-								
				-												-									
										-			1					-							

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis, Acute Laryngitis, and Pleurisy.

WEEK ENDING 24 March 194 4

#### INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADM	11881	ON	S								NI	JMBI OF	ER	H K H		MBER (		
SERVICE COMMAND AND	MEAN		OOO STRE	ENGTH	PER	ANN CASE 1000	RATE				NUI	ABER	OF	CA	SES			DE	EATI	HS	F PATIENTS IN END OF WEEK OO STRENGTH	CAPA	CITY	IED IED	NT
STATION	STR	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPTI)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMAT IC FEVER	ATYPICAL PNEUMONIA	TUBER-	ACQU	OUT OF USA	ALL CAUSES	DISEASE	INJURY	NUMBER OF PA HOSPITAL ENE PER 1000	HORMAL	TOTAL	TOTAL	AVAILABLI
THIRD SERVICE COMMAND	280685	831	769	62	265	20	6	37	52	109	31	9	11	75	5	1	14	10	lı	6	42	17635	22799	11124	7116
													_	_											
Aberdeen Prov. Grd. Md.	22142	895	796	99	343	26		127	5	10	4			7			1	2	1	1	33	859	1121	725	172
Bustis, Ft., Va.	11084	1571	1435	136	399	28	148	9?		12	2			5							51	746	948	577	181
Geo. G. Meade, Ft., Md.	34797	738	701	37	199	24	16	57	5	5	4	1		13	2		6				27	1536	2121	1070	627
Hampton Roads, Va.	8685	1958	1952	6?	120	6?	6?	186	1	1								1		1	15	352	536	128	301
Indiantown Gap., Pa.	24157	641	622	19	254	24		30	4	33	3			8		1					38	1213	1510	930	278
Langley Fld., Va.	6675	623	545	78	117			15?		1			2		1						30	304	512	228	182
Lee Cp., Va.	36892	997	896	101	376	14		38	15	13	4	5	2	2			1	3	2	1	36	1839	2587	1373	697
Patrick Henry Cp., Va.	20519	443	397	46	220	41	57	23	5	1				10			1	1	1		29	1049	1351	590	491
Pickett Cp., Va.	14875	797	727	70	157	7?	7?	66		5	1	1		2	-						42	2045	2725	709	1471
Reynolds Cp., Pa.	19367	545	510	35	220	27		38	14	5	5	1	1	6			2	_			28	847	1087	529	341
Richmond, AAB, Va.	8098	713	662	51	135	6?		19?		2			1	1				_			41_	433	523	334	84
Stations under 5000 strength & Misc. Units. TOTAL-ALL STATIONS	67083	845	779	66	302	17	12	22	3	21	6	1	2	19			2	2		2	18	2401	3019	976	1439
EXCEPT GEN. HOSPITALS	274374	840	777	63	267	20	6	36	52	109	29	9	8	73	3	1	13	9	4	5	30	13624	18040	8169	6264
TOTAL GENERAL HOSPITALS	6311										2		3	2	2		1	1		1		4011	4759	2955	852
								-																	

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 12

MEEK ENDING 24 March 1944

	I						ADM	IISSI	ONS	S								NI	JMB OF	ER	SIN	NUM	MBER O		
SERVICE COMMAND AND	EAN		IUAL RA	ENGTH	PER	ASE					NUI	MBER	OF	CAS	SES			DE	EAT	нѕ	PATIENTS END OF WE STRENGT	CAPA	CITY	NED VIED	ABLE
STATION	STRE	ALL	DISEASE	INJURY	COLDS, INFLUENZA. ETC.*	PHEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCAPLET	MENINGITIS	RHEUMATIC	ATYPICAL PNEUMONIA	TUBER	ACQU	OUT OF USA	ALL CAUSES	DISEASE	INJURY	NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NORMAL	TOTAL	TOTAL	AVAILABLE
MIL. DIST. OF WASH.	59564	715	577	38	210		5	14	10	32	1	1		26	2		9	5	2	2	65	3408	4983	3519	4
Belvoir, Pt., Va.	21741	1007	971	36	294	81		7?	4	9	1	1		23			5	1		1	41	1104	1345	884	20
Myer, Pt., Va.	5495	643	596	477	85	19?		76	3	9				1			1				17	111 All pa	168	94 hospits	lise
Mash. Gen. Disp., D. C. Stations under 5000 strength & Misc. Units	10403	515 598	541	15?	265	3?	97	91	1	6				1							9	298	ter Ree	135	18
TOTAL -ALL STATIONS EXCEPT GEN. HOSPITALS	54150	751	712	39	216			13		25	1	1		25			6	1		1	21	1513	1945		44
TOTAL GENERAL HOSPITALS	5414								1	7				1	2		3	4	2	1		1895	30 38	2406	2
																		_							

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis, Acute Laryngitis, and Pleurisy.

# WEEK ENDING 24 March 194 4

### WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADN	MISSI	ON	S								NU	JMBE	ER	EK H			OF BEI	
SERVICE COMMAND	EAN		OOO STRE			ANN CASE 1000					MUI	MBER	R OF	CA	SES			DE	OF EATH	15	PATIENTS IN IND OF WEEK STRENGTH	CAPA	CITY	IE0	NT
STATION	STR	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHE M AMD DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMAT IC FEVER	ATYPICAL PHEUMON! A	TUBER-	ACQU	OUT OF USA	ALE CAUSES	DISEASE	INJURY	NUMBER OF P HOSPITAL EN PER 1000	HORMAL	TOTAL	TOTAL	AVAILABLI
FOURTH SERVICE COMMAND	1217148	652	573	79	150	13	11		180	279	14	42	14	225	13	1	40	41	10	31	32	74236	96430	38882	38263
TOTAL-EXCLUDING BEDS I	N T/O HOS	SPITALS	AND TH	TAGE																		74224	90678	38221	34322
Avon Park, Fla.	7359	311	247	64	35?			42													16	195	239	130	61
Benning, Ft., Ga.	74702	521	477	لبليا	93	26	1?	45	10	102	4	2	1	22			6	2		2	18	2243	3005	1573	831
Blanding, Cp., Fla.	53991	732	627	105	198	4?	5?	13	24	6	1	4		L,				1		1	33	2106	2734	1857	330
Boca Raton Fld., Fla.	8692	484	460	24?	42	6?		18?					1	1							22	346	577	208	254
Bragg, Ft., N. C.	55599	897	819	78	276	24	1?	23	7	13	3	5		25	1		2	3	2	1	31	2443	3161	1796	733
Buckingham, AAF, Fla.	10930	504	433	71	119			14?		1		1			3						19	294	294	227	8
Butner, Cp., N. C.	27719	790	677	113	94	24	15	43	2	7		1					4				27	2266	3547	765	2073
Charleston, AAF, S. C.	5389	453	376	77	145			29?													16	188	360	85	213
Charleston, PoE., S. C.	6139	923	821	102	110	25?	8?	42?	1	1				3	1						27	335	445	171	185
Columbia, AAB, S. C.	6504	504	الماليا	64	104			32?				1	1				1	2		2	23	286	367	171	123
Croft, Cp., S. C.	19087	708	558	150	202	8?	16	11?	6	2		5	1	3			2				22	639	944	424	331
Daniel Fld., Ga.	10100	1540	1535	5?	237	5?		149		1				1	1						31	326	498	309	89
Davis, Cp., N. C.	32722	426	394	32	87	16	16	19	3	7				9							22	1762	2324	734	1125
Drew Fld., Fla.	25268	537	488	49	78	8?	14	35	2					2							24	1000	1502	636	566
Dyersburg, AAF, Fla.	5211	898	599	299	220			30?		1			2					8		8	31	207	360	179	109
Eglin Fld., Fla.	7083	683	551	132	73		22?	29?	1	1											23	315	411	205	124
Forrest, Cp., Tenn.	8726	775	715	60	262	18?	6?	60						2			1				149	1466	2218	1424	350
Gordon, Cp., Ga.	25061	535	485	50	108	4?		37	1	1											25	1494	1942	710	844
Gordon-Johnston, Cp., Fla	22776	358	326	32	73	2?		68	1	1				1							13	670	872	309	389
Greensboro, BTC, N. C.	12453	1469	1436	33	856	138	13?	25	7	2			2	28							43	711	1053	558	284

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

# VOLUME IV REPORT NO. 12 WEEK ENDING 2h March 194 h

### WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADN	IISSI	ONS	3								NL	OF OF	ER	H X H			WEEK	
SERVICE COMMAND	ENGTH		OOO STRE	NGTH	PER	ASE	STREE	NGTH			NUM			CAS	SES				ATI	15	PATIENTS IN END OF WEEK STRENGTH	CAPA	CITY	AL VIED	ABLE
STATION	STR	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PHEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMAT IC FEVER	ATYPICAL PNEUMONIA	TUBER-	ACQU	OUT OF USA	ALL CAUSES	DISEASE	INJURY	NUMBER OF PATI HOSPITAL END O PER 1000 STR	NORMAL	TOTAL	TOTAL	AVAILABLI
FOURTH SERVICE COMMAND																									
												-648.6				ļ									
Greenville, AAB, S. C.	6127	365	297	68	195	8?	8?	59	2					1							25	320	418	158	176
Gulfport Fld., Miss.	12434	648	631	17?	226	21?	_	25	3	5		1		5							25	642	820	325	331
Hunter Fld., Ga.	6301	545	520	25?	132	8?	17?	17?	2									1	1		46	343	442	293	61
Jackson, Ft., S. C.	32412	690	603	87	138	2?	6?	35	7	9		2	1	1							27	2618	3860	911	2177
Keesler Fld., Miss.	27376	938	585	353	230	27	21	15	2	10		2		14			1	1		1	29	930	1200	827	133
Laurinburg-Maxton, AAB,	5529	800	762	38?	226			47?	1												37	233	301	217	24
Mac Dill Fld., Fla.	13208	472	437	35	43	4?		31		2			1	1	1						22	632	670	341	195
Mackall, Cp., N. C.	21292	654	525	129	100	7?		20	1	3		1									21	902	1335	472	596
Maxwell Fld., Ala.	15859	410	361	49	66	7?	7?	30	4	1			2	1			1	5		5	31	588	829	375	288
McCain, Cp., Miss.	23116	627	562	65	153	11?		36	3	2				2	1		2	1		1	29	1625	2093	680	994
McClellan, Ft., Ala.	34445	646	586	60	133	63	9	26	27	17	1	2		37				1		1	28	1272	1618	1061	233
McPherson, Ft., Ga.	7773	789	762	27?	167	13?		20?	1	7				2			1				31	533	774	318	301
Miami, AAFTC, Fla.	21245	913	761	152	117		34	- 5?													Reg. H	tients osp. Co	nospita ral Gab	lized a	t AAF,
Miss. Ord. Plant, Miss.	6871	999	832	167	348	8?	8?	23?		1				1							14	326	464	96	275
Oglethorpe, Ft., Ga.	8072	1450	1366	84	580		13?	26?	9			1									20	668	984	203	584
Orlando, AAF, Fla.	20456	671	577	94	74		20	23	2	2								1		1	25	748	968	553	221
Robins Fld., Ga.	6963	1127	1075	52	82	15?	560	45	2	2				2							34	380	500	269	131
Rucker, Cp., Ala.	25899	498	470	28	104	4?	4?	22	1	3		1		1	-			2	1	1	17	1516	1940	460	1092
Seymour-Johnson Fld.,	15255	491	464	27	136	3?	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	20		4				1				1	1		16	622	820	253	403
Shelby, Cp., Miss.	54522	639	589	50	99	10	1?	24	9	21		3		6	1		1	1	1		23	3038	3894	1204	1911

Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis, Acute Laryngitis, and Pleurisy.

INDIVIDUAL STATIONS

VOLUME IV REPORT NO. 12 WEEK ENDING 24 March 194 4

	I						ADM	IISS	ON:	S								NL	JMB6 OF	ER	EK H		MBER (		
SERVICE COMMAND AND	MEAN		NUAL RA	-		ANN CASE 1000					NUI	MBER	R OF	CA	SES			DE	EATH	48	F PATIENTS IN END OF WEEK DO STRENGTH	CAPA	CITY	IED IED	NELE
STATION	STR	ALL	DISEASE	1 NJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMAT I C FEVER	ATYPICAL PNEUMONIA	TUBER-	MALACQU IN	OUT OF USA	ALL CAUSES	DISEASE	INJURY	NUMBER OF P HOSPITAL EN PER 1000	NORMAL	TOTAL	TOTAL	AVAIL ABLE VACANT
FOURTH SERVICE COMMAND													DOMON, CHORCING												
Sibert, Cp., Ala.	15833	614	578	36	213	20	10?	56	4	3	-			4							18	867	1123	272	626
Smyrna, AAF, Tenn.	5489	473	407	66	114	9?		28?	_2	1_				_1							13	188	242	78	110
Stewart, Cp., Ga.	33519	673	609	64	203	11	2?	47	10	2	1			4	1		1	3	1	2	24	1444	1835	807	663
Sutton, Cp., N. C.	12462	688	646	42	213	8?		104	2	2											24	750	750	300	300
Tyndall Fld., Fla.	11140	429	378	_51	89			28	1	2	ļ	_									16	206	373	197	103
Van Dorn, Cp., Miss.	18244	610	522	88	94	20	3?	37	2	2	1			6							36	1359	1751	667	73
Wheeler, Cp., Ga.	20214	730	658	72	365	3?		8?				2	1				1				30	796	1150	630	290
Tenn. Maneuver Area, * Div. Hq. Tact.	83236	710_	539	171	135	4	7	24	1	2		6		1			2	3		3	79	5700	5700	655	3905
Man. Area, Tenn. Air.	6221	209	176	33?																					
Stations under 5000 strength & Misc. Units	198614	577	518	59	125	11	15	27	16	24	2	1	1	27	3	1	7	3	1	2	20	9716	12506	4545	546
EXCEPT GEN. HOSPITALS	1195668	657	577	80	151	13	11	30	179	273	14	41	14	219	12	1	33	39	8	31	23	58254	76213	29638	31333
TOTAL GENERAL HOSPITALS	21480								1	6		1		6	1		7	2	2			15982	20217	9244	6930
															ļ										

Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

REPORT NO. 12 VOLUME IV WEEK ENDING 24 March

INDIVIDUAL STATIONS

CONFIDENTIAL

	Ŧ						ADN	AISS	ON	S								NL	JMBI OF	ER	E X E	NUM		OF BEI	
SERVICE COMMAND	MEAN		OOO STRE	ENGTH	PER	ASE	RATE				NUI			CA	SES				EAT	нѕ	PATIENTS END OF WE STRENGT	CAPA	CITY	NL 1ED	NT
STATION	STS	ALL	DISEASE	LNJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	M* COCCIC MENINGITIS	RHEUMAT IC FEVER	ATYPICAL PNEUMONIA	TUBER-		OUT OF	ALL CAUSES	DISEASE	INJURY	NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NORMAL	TOTAL	TOTAL	AVAILABLE
FIFTH SERVICE COMMAND	190087	744	678	66	230	18	8	41	41	48	23	1	9	29	5	2	12	14	2	12	53	19572	23587	9215	9663
Atterbury, Cp., Ind.	8243	820	770	50	132	13?	6?	63		2				2							36	2380	3000	326	2074
Benj. Harrison, Ft.,	8193	2107	2018	89	159	13?		13?	2	1			1	-			1	٥	£ "		30	442	551	254	187
Breckinridge, Cp., Ky.	24365	337	282	55	83	53	6?	21	2	3	1			11		1		1	1		15	2046	2046	408	1229
Campbell, Cp., Ky.	34520	676	596	80	118	17	6?	57	6	7	3		1	2	2	1	1	2	1	1	32	1930	2434	1145	802
Knox, Ft., Ky.	44601	634	564	70	294	20	1?	24	16	17	6	1		13				3		3	21	1484	1992	937	657
Patterson Fld., Ohio	6733	803	764	397	247	8?	15	77	3				3				1				38	483	625	275	225
Wright Fld., Ohio	7728	861	800	61	316		7?	54														All parat Pat	ients l	ld., O	lized hio
Stations under 5000 strength & Misc. Units.	43445	912	845	67	518	-36	23	39	10	16	8		3	1	1		3	6		6	22	1678	2172	860	885
TOTAL-ALL STATIONS EXCEPT GEN. HOSPITALS	177828	762	694	68	239	19	9	39	39	46	18	1	8	29	3	2	6	12	2	10	23	10443	12820	4205	6059
TOTAL GENERAL HOSPITALS	12259								2	2	5		1		2		6	2		2		9128	10767	5010	3604
		mental and a superior of the s																							
ODM CO 200 OFWICE & NOV																									

FORM SG-396 REVISED 6 NOV. 1943

- 19 -

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute

WEEK ENDING 24 March 194 4

#### INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADN	IISS	ON	S								NI	JMBI	ER	HER			WEEK	
SERVICE COMMAND	ENGTH		OOO STR		PER	1000	RATE	NGTH						CA	SES			DE	EATI	нѕ	PATIENTS ND OF WE STRENGT	CAPA	CITY	IED	ABLE
STATION	STR	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	M-COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	TUBER-	ACQU	OUT OF USA	ALL CAUSES	DISEASE	INJURY	NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NORMAL	TOTAL	TOTAL	AVAILABLE
SIXTH SERVICE COMMAND	164374	898	842	56	350	37	3	33	15	33	68	5	29	60	2		14	5	2	3	ЦЦ	11684	14694	6982	4774
Chanute Fld., Ill. Chicago Gen. Disp.,	13927	575	549	26	108	26		19?			8		8	3				1		1	26	616	971	358 hospits	419
Custer, Ft., Mich.	19170	938	835	103	148	22		35		2	2			2	1		1	1	1		38	1000	1799	751	688
Ellis, Cp., Ill.	21498	735	716	19	271	70	2?	77	1	15	1	3	1	17			1				31	1265	1627	736	566
Grant, Cp., Ill.	11886	1207	1150	57	564	66		4?	1	2	14	1	6	12							1111	613	801	558	83
McCoy, Cp., Wis.	21281	919	821	98	198?	34	7?	17	3	1	2			1			5	1		1	39	1424	1886	853	656
Scott Fld., Ill.	15580	984	961	23	574	47	7?	37	8	3	13		2	10							31	782	1039	501	330
Sheridan Ft., Ill.	8224	1207	1137	70	164	38		32?	1				6	3			2	_			22	382	487	181	209
Truax Fld., Wis. Stations under 5000	12936	1169	1117	52	663	64		4?		6	23		4	10							59	780	968	765	9
strength & Kisc. Units TOTAL-ALL STATIONS EXCEPT GEN. HOSPITALS	29525 160001	747 907	701 851	46 56	257 341	7? 37	9?	39	1 15	31	59	4	28	59	2		10	1 4	1	3	31	1016 7878	1310	361 5064	687 3647
TOTAL GENERAL HOSPITALS	4373									2	9	1	1	1			4	1	1			3806	3806	1918	1127
																							1500		

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis, Acute Laryngitis, and Pleurisy.

VOLUME IV REPORT NO. 12 WEEK ENDING 24 March

#### INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADM	ISSI	ONS	3								NL	IMBE OF	ER	E K		BER O		
SERVICE COMMAND	ENGTH		UAL RA	_		ANN ASE 1000	RATE				NUN	BER	OF	CAS	SES			DE	ATH	15	PATIENTS IN END OF WEEK STRENGTH	CAPA	CITY	IED	ABLE
STATION	STR	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET FEVER	MENINGITIS	RHEUMAT IC FEVER	ATYPICAL PREUMONIA	TUBER	MALA ACQUI	_	ALL CAUSES	DISEASE	INJURY	NUMBER OF HOSPITAL EL	HORMAL	TOTAL	TOTAL	AVAILABLE
SEVENTH SERVICE COMMAND	385635	861	795	66	346	31	7	30	125	137	92	9	77	118	4		24	10	3	7	43	28183	36582	16838	12592
Buckley Fld., Colo.	12797	1195	1134	61	800	93		123	8	1	2	1	11	7							66	802	1155	766	158
Carson, Cp., Colo.	17103	909	873	36	380	3?		36	1	12	5		3	1			5				29	2146	3202	513	2049
Crowder, Cp., Mo.	27387	896	833	63	482	15		21			2		5		1		3				40	1200	1554	1094	149
Des Moines, Ft., Iowa	5031	1539	1363	176	217	10?		10?						1							24	316	388	123	187
F. E. Warren, Ft., Wyo.	12693	696	663	33	221	4?		61	5	3	1						1				38	740	968	542	232
Hale, Cp., Colo. #	13563	1342	1054	288	617	31	19?	23	6	6	10		4	6				1	1		34	755	1090	478	394
Jefferson Bks., No. #	16597	1250	1175	75	498	172		72	6	14	19		11	43	1		1				73	1433	1867	1175	319
Leavenworth, Ft., Kans.	6508	759	751	8?	216	8?		32?	1			1		1							13	209	298	136	102
Leonard Wood, Ft., Mo.	33101	818	774	lale	280	11	5?	46	7	8	5	1		4			1				27	1371	2289	928	903
Lincoln, AAF, Nebr.	9639	636	609	273	324	183		5?	1	6	3		1	21	1						35	661	845	334	342
Lowry Fld., Colo.	15538	786	773	13?	288	37		27	2	7	2		17	6							40	291	676	624	-83
Peterson Fld., Colo.	9528	448	388	60	142	5?		11?	1	1	4										16	218	282	154	72
Phillips, Cp., Kans.	18220	428	362	66	120	23		49	7	3		2		5							15	710	852	285	397
Rapid City, AAB, S. D.	5844	676	578	98	133	27?	18?	36?		6			2								26	155	209	151	16
Riley, Ft., Kans.	16678	1138	1063	75	652	3?		16?	5	4		1									29	1301.	1702	505	857
Sioux Falls, AAF, S. D.	14753	906	881	25	409	137		7?	3	20	5		8	8							37	617	787	5143	87
Smoky Hill, AAF, Kans.	6156	642	566	76	144		17?	51		4	1		2								17	238	308	105	141
Stations under 5000 strength & Misc. Units.	132540	855	786	69	292	11	16	24	61	40	27	3	11	12			8	6		6	20	6485	8490	3044	3828
TOTAL-ALL STATIONS EXCEPT G.N. HOSPITALS	373676	875	808	67	347	32	8	29	114	135	86	9	75	115	3		19	7_	1	6	29	19648	26962	11500	10233
TOTAL GENERAL HOSPITALS	11959								11	2	6		2	3	1		5	3	2	1		8535	9620	5338	2359

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute

# WEEK ENDING 24 March 194 4

### WEEKLY HEALTH REPORT

#### INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADM	IISSI	ONS	S								NU	MBI	ER	EK		MBER (		
SERVICE COMMAND	EAN		IUAL RA			ANN ASE 1000					NUR	MBER	OF	CA	SES			DE	ATI	15	F PATIENTS IN END OF WEEK 30 STRENGTH	CAPA	CITY	IED IED	NT
STATION	STR	MLL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEJMAT IC FEVER	ATYPICAL PNEUMONIA	TUBER	MAL/ ACQU IN USA	_	ALL CAUSES	DISEASE	INJURY	NUMBER OF P HOSPITAL EN PER 1000	NORMAL	TOTAL	TOTAL	AVAILABLE
EIGHTH SERVICE COMMAND	969117	602	529	73	130	8	5	50	143	115	52	23	33	83	20		101	96	5	91	33	61346	77571	31061	3106
TOTAL-EXCLUDING BEDS I	N T/O HO	SPITALS	AND TE	NTAGE						i												59296	75521	30671	2974
# Alamorgordo, AAB, N.Mex.	5640	442	396	46 ?	138			28 ?		1		1									20	203	269	118	97
Amarillo, AAF, Tex.	13387	1344	1286	58	723	23		23	2	3	15		21	3			1				44	633	1091	608	265
Ardmore, AAF, Okla. #	5111	498	448	50 ?	224		10?	51?	2												16	141	177	80	62
Barkeley, Cp., Tex.	34219	612	554	58	71	69		27	11	9	6			2			4	1		1	28	1821	2366	993	900
Barksdale Fld., La.	7650	598	510	88	143	7?	20?	27?			1				2			1		1	29	371	420	218	118
Biggs, Fld., Tex.	5152	958	595	363	91			20?		1								27		27	23	260	334	121	146
Bliss, Ft., Tex.	33324	677	626	51	184	16	16	31	10	3	1			2							31	1517	2017	1026	588
Bowie, Cp., Tex.	24854	571	429	142	103	10 ?	4?	33	3		1		3	1				7		7	23	1611	2129	507	1196
Chaffee, Cp., Ark.	20263	457	416	41	72	13?	5?	41						3			1				21	1295	1661	468	861
Claiborne, Cp., La.	41006	499	451	48	76	4?	4?	42	2	11	1	2		2			3	2	1	1	28	1656	2154	1141	582
Clovis, AAB, N. Mex.	7124	416	380	36?	153	71		15?		6				1			1				15	169	210	108	60
Dalhart, AAB, Tex.	6331	583	542	41?	246	8?			1	1											17	298	372	109	189
Ellington Fld., Tex.	8941	529	459	70	41	6?		17?				1		1				2		2	16	243	375	147	153
Fannin, Cp., Tex.	18273	982	780	202	339	26		91	6	9							9	1		1	42	852	1088	792	78
Gruber, Cp., Okla.	21115	559	463	96	74	21	15	57	1		1	1		1			1	2		2	30	1621	2133	672	1034
Harlingen, AAB, Tex.	10043	513	440	73	124		26?	10?	7									1		1	16	188	250	157	43
Hondo, AAF, Tex.	6237	458	375	83	25?			34?	1	1								5		5	8	235	334	49	218
Hood, Cp., Tex.	29608	448	404	44	111	11		33	9	4	1	2		4			2				22	2390	3059	661	1786
Howse, Cp., Tex.	23887	383	331	52	85	7?		4?	4	4	1			1	1		4				22	1271	1631	557	748
Hulen, Cp., Tex.	9978	380	312	68	68	5?		10?	1					1			1				13	429	551	127	314

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis, Acute Laryngitis, and Pleurisy.

# VOLUME IV REPORT NO. 12 WEEK ENDING 24 March 194 4

### WEEKLY HEALTH REPORT

#### INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADN	IISSI	ONS	S								NL	JMB	ER	E X H		MBER (		
SERVICE COMMAND	EAN		UAL RA			ANN	RATE				NO	MBE	R DF	CA	SES			DE	OF	нѕ	F PATIENTS IN END OF WEEK DO STRENGTH	CAP	ACITY	LED	BLE
STATION	STR	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	MENINGITIS	RHEUMATIC	ATYPICAL	TUBER	ACQU 1 II	ARIA IRED OUT OF USA	ALL CAUSES	DISEASE	INJURY	NUMBER OF P HOSPITAL EN PER 1000	NORMAL.	TOTAL	TOTAL	AVAILABLE
(Cont'd) FIGHTH SERVICE COMMAND																									
Jos. T. Robinson, Cp.,	24583	816	672	144	148	15	6?	30	7	3				6	1		9				28	1575	2047	736	902
Kelly Pld., Tex.	10170	762	660	102	51	10?		97		1		1						8		8	32	260	334	332	-65
Lake Charles, AAF, La.	5067	616	524	92	72			72									1	1		1	16	131	155	82	42
Laredo, AAB, Tex.	8155	688	631	57	198	19?		13?			1	1		3							17	169	268	135	79
Livingston, Cp., La.	22783	546	516	30	137	11?	5?	57	6	3					1		1				27	1954	2545	695	1341
Maxey, Cp., Tex.	27136	560	516	44	109	6?		34	5					1			1				24	1716	2258	704	1102
New Orleans, PoB, La.	25065	747	716	31	193	8?	10?	77	4	12				4	1		1	2		2	28	1040	1336	726	343
Polk, Cp., La.	29274	369	284	85	78	5?	4?	62	4	3		2	ha	1			1	4		4	32	1576	2051	934	707
Pyote, AAB, Tex.	5313	597	509	88	117	10?		59						1							16	185	262	89	121
Randelph Fld., Tex.	6801	443	390	53	31?	15?	87	46			1			2				1	1		28	392	503	119	283
Roswell, AAF, No Mex.	6447	685	637	48	242		24?	24?		1											29	275	429	190	153
Sam Houston, Ft., Tex.	17599	919	848	71	83		91	6?														All parat Broo	tients oke G.H	hospita	lized
San Antonio, Tex. Avn.	21886	523	475	48	107	40		19			2			17			1				52	874	1116	728	165
San Marcos, AAP, Tex.	5528	498	470	287	38?			197		1											13	202	268	84	130
Selman Fld., La.	7443	440	405	35?	42		7?	21?												ATV 15.	17	277	353	124	158
Sheppard Fld., Tex.	21706	994	915	79	225	14		10?	2	3	8	2		5							28	1197	1961	638	931
Sill, Ft., Okla.	34771	803	761	42	227	6?		19	19	3	2	2		4	3		10				20	1056	1398	708	410
Swift, Cp., Tex. #	27528	450	414	36	103	4?		28	1	3				1				1		1	37	2128	2829	1082	1181
Will Rowers Fld., Okla.	6599	654	615	39?	63	16?		55					2				1				29	325	415	193	139
Wolters, Cp., Tex.	25512	676	609	67	155	26		4?	7	4	1	2		12			7				25	933	1211	632	337

Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis Acute Laryngitis, and Pleurisy.

# VOLUME IV REPORT NO. 12 WEEK ENDING 24 March 194 4

### WEEKLY HEALTH REPORT

#### INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADM	11881	ONS	5									MBI	ER	S 1N EEK TH		ND OF		
SERVICE COMMAND	STRENGTH		OOO STRE		PER	ANN	RATE				NUN	MBER						DE	ATI		F PATIENTS IN END OF WEEK OO STRENGTH	CAPA	CITY	AL PIED	ABLE
STATION	STR	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMAT IC FEVER	ATYPICAL PHEUMONIA	TUBER	MALA ACQUI	RED OUT OF	ALL CAUSES	DISEASE	INJURY	HUMBER OF P HOSPITAL EN	NORMAL	TOTAL	TOTAL	AVAILABLE
(Cont'd) EIGHTH SERVICE COMMAND															\$#####################################										
# Louisiana Man. Area, La.	78045	515	402	113	761			20	1	1					-		1	2		2	5	2050	2050	390	125
Stations under 5000 strength & Misc. Units	189776	620	538	82	140	5	9	26		23	9	3	7	2	1		8	25		25	17	9932	12890	3913	
TOTAL-ALL STATIONS EXCEPT GEN. HOSPITALS	948330	606	532	74	129	8	5	29	132	114	52	20	33	81	10		69	93	2	91	22	45431	59300	21593	2561
															_										
TOTAL GENERAL HOSPITALS	20787		_						11	1		3		2	10		32	3	3			15915	18271	9168	544
																									-
																				-					
70 Value 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																									
															-										
					-					-												-			
															-										
									-													-			
									-						-										
										1															

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

#### REPORT NO. 12 WEEK ENDING 24 March

### WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

	I						ADN	IISSI	ONS	3								NU	JMB! OF	ER	EK H		MBER (		
SERVICE COMMAND AND	MEAN		UAL RA			ANN					NUI	MBER	OF	CAS	SES	·		DE	EATI	нѕ	F PATIENTS IN END OF WEEK DO STRENGTH	CAPA	CITY	1E0	BLE
STATION	STR	ALL	DISEASE	HIJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	M-COCCIC MENINGITIS	RHEUMAT IC FEVER	ATYPICAL PNEUMONIA	TUBER-	ACQU	ARIA IRED OUT OF USA	ALL CAUSES	DISEASE	INJURY	NUMBER OF P HOSPITAL EN PER 1000	NORMAL	TOTAL	TOTAL	AVAILABLE
NINTH SERVICE COMMAND	795615	652	580	72	193	12	6	23	98	136	92	9	53	88	6		56	47	6	41	38	54000	67910	29334	2517
TOTAL-EXCLUDING BEDS 1	# T/O HO	SPITALS	AND TI	NTAGE																		53432	66831	28890	
Abbot, Cp., Ore.	8796	1513	1330	183	567	6?		12?	1	14	1			1							56	411	427	427	-8
Adair, Cp., Ore. #	26747	503	417	86	99	35		17	3	4	5	1					4	1		1	25	1550	1932	641	90
Baker, Ft., Calif. #	5153	505	394	111	71			30?			-						1				29	250	310	152	9
Beale, Cp., Calif.	16799	569	470	99	149	12?	31	37		5	2				1		2	1		1	35	1381	1783	587	83
Blythe, AAB, Calif.	6019	406	371	35?	95			69		1					•			-			15	171	195	89	6
Callan, Cp., Calif.	8629	705	578	127	163	12?		12?		2	1							,	1		64	1116	1669	550	78
Cooke, Cp., Calif.	25612	465	422	43	118	6?	6?	16	2	1	6			3			1				25	1331	1849	661	81
Davis-Monthan Fld.	6083	915	641	274	179	0.	26?	51	1	3	1		1				-	14		14	29	377	488	191	19
Presno, A.S.C., Calif.	6003	788	719	69	147			35?	1				1									100	130		10
Gowen Fld., Idaho	6088	683	606	77	265			54?	1				1								24	269	455	146	21
Haan, Cp., Calif. #	20913	445	408	37	174	2?	7?	20					1								31	1318	1727	674	70
Hamilton Fld., Calif.	8418	914	828	86	80			99		1								2		2	44	419	419	367	-8
Hammer Fld., Calif.	10840	781	743	38	149			38	6	2	3							4		4	67	870	1112	736	15
Irwin, Cp., Calif.	7885	343	317	267	191		13?	7?													11	192	358	89	19
Inst., Utah	7289	963	906	57	41%	29?	20.		2	3	2		10								39	852	1094	228	64
Kearns, AAF, Grd. Tng.				90	566	12?							70			1									
Kingman, AAF, Ariz.	8690	910	820	1	682			6?	1	4											34	235	301	298	-5
Kohler, Cp., Calif.	8462	1063	1014	49		12?	-	12?	1		2								-		32	260	334	274	-
Las Vegas, AAF, Nov.	10788	655	612	43	260	5?		19?	1	3	1		7				3				23	262	365	254	3
Lawton, Ft., Wash.	13796	671	595	75	226	1117	-	23	]	4	3	1	2		-						29	906	906	408	31
Lewis, Pt., Wash.	24417	603	562	1 40	175	97		17		5	3	3		1			7	3 Acus	1	2	26	3012	3012	651	175

. FORM 36-396 REVISED 6 NOV. 1943

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

# VOLUME IV REPORT NO. 12 WEEK ENDING 24 March 1944

#### WEEKLY HEALTH REPORT

#### INDIVIDUAL STATIONS

CONFIDENTIAL

	т						ADN	AISSI	ONS	S							NU	MBI	ER	EK		MBER O		_
SERVICE COMMAND	MEAN		IUAL RA			ANN CASE 1000					NUN	MBER	R OF	CAS	SES		DE	OF	HS	F PATIENTS IN END OF WEEK DO STRENGTH	CAPA	CITY	IE D	HLE
STATION	STR	CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PHEUMONIX (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT!)	MEASLES	MUMPS	SCARLET	MENINGITIS	RHEUMATIC	ATYPICAL	TUBER		ALL CAUSES	DISEASE	INJURY	NUMBER OF HOSPITAL E PER 1000	NORMAL	TOTAL	TOTAL	AVAILABLE
(Cont'd) NINTH SERVICE COMMAND																								
Los Angeles, PoE, Calif.	4949	735	567	168	367	21?		53?		2				2						41	1000	1000	237	56
Carch Fld., Calif.	8926	542	501	41	105	17?	29?	35	2		2		3	_ 2						36	432	604	320	16
furoc, AAB, Calif.	10989	468	388	80	104		14?	24?									1		1	19	232	294	204	3
Ord, Ft., Calif.	27522	470	391	79	119	38	4?	25	4	4	10	1				2	1		1	33	2013	2189	878	87
Pinedale, Cp., Calif.	6827	609	556	63	76			23?												3	34	34	20	
Roberts, Cp., Calif.	27959	960	887	73	413	78	11	6?	5	7		2	3	35		3	1	1		33	952	1570	927	32
Salt Lake City, AAB,	12246	701	688	13?	242	8?		25	5	5	5		1	2	1	1				19	247	321	231	2
San Luis Obispo, Cp., #	21284	401	337	64	120	5?		27	3	1						1	1		1	31	840	1380	685	41
Santa Ana, AAB, Calif.	18912	872	850	22	250	49	33		5	7	2		2	12						57	1071	1650	1055	26
Stoneman, Cp., Calif.	25807	677	592	85	153	6?		38	15	16	1			2						22	1246	1619	589	70
Tonopah, AAB, Nev.	6430	534	308	1416	129	87	8?	8?									5		5	26	236	269	169	4
Wendower Fld., Utah	6774	422	391	31?	61		8?	15?												16	185	235	_113	7
White, Cp., Ore.	23449	623	534	89	182	22		24	2		1			10		6				27	1514	1754	697	70
Williams Fld., Ariz.	6034	552	440	112	138		9?	34?					4				2		2	19	151	309	121	12
Yuma, AAF, Aris. #	7248	545	495	50	129	14?	14?	36?		1	1			2						23	188	242	168	2
Calif.# CalifAriz. Man. Area,	66857	556	502	54	226	3?	9	21	6	5			1	1		1	1		1	23	2150	2453	1564	39
Area Calif. # funter-Liggett, Man.	24296	826	668	158	83		6?	2?								13	2		2	11	100	360	274	1
Stations under 5000 strength & Misc. Units	234484	687	614	73	173	6	7	25	25	35	37	2	16	13	2	10	5	1	4	22	11394	14404	5369	615
TOTAL-ALL STATIONS	778420	658	585	73	192	12	6	23	96	135		9	53	86	4	54	45	4	41	27	39267	49553	21044	187
TOTAL GENERAL HOSPITALS	17195				-				2	1	3			2	2	2	2	2			14733	18357	8290	6396

<sup>\*</sup> Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis, Acute Laryngitis, and Pleurisy.

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

REPORT NO.\_ WEEK ENDING 24 March

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT	PREVIOUS WEEK	STATION	CURRENT	PREVIOUS WEEK
ALL CAUS			DISEAS ANNUAL ADMISSION R		00	INJUR ANNUAL ADMISSION RA		
Upton, Cp., N. Y.	2381	2301	Upton, Cp., M. Y.	2342	2225	Keesler Fld., Miss.	358	55
Benj. Harrison, Ft., Ind.	2107	2245	Benj. Harrison, Ft., Ind.	2018	2216	Dyersburg, AAF, Fla.	299	71
Hampton, Roads, Va.	1958	425	Hampton Roads, Va.	1952	391	Hale, Cp., Colo.	288	236
Eustis, Ft., Va.	1571	1396	Daniel Fld., Ga.	1535	1659	Davis-Monthan Fld., Aris.	274	61
Daniel Fld., Ga.	1540	1680	Eustis, Pt., Va.	1435	1263	Famnin, Cp., Tex.	202	194
Des Moines, Ft., Iowa	1539	1490	Des Moines, Pt., Iowa	1363	1356	Abbot, Cp., Ore.	185	112
COLDS, INFLUEN		*	PNEUMONIA (INCLUDI ANNUAL ADMISSION R			DIARRHEA AND ANNUAL ADMISSION R		
Greensboro, BTC, N. C.	856	1474	Lincoln, AAF, Nebr.	185	76	Robins Fld., Ga.	560	231
Buckley Fld., Colo.	800	1059	Greensboro, BTC, N. C.	158	156	Miami, AAFTC, Fla.	34	21
Amarillo, AAF, Tex.	723	648	Sioux Falls, AAF, S. D.	187	138	Santa Ana, AAB, Calif.	53	117
Kohler, Cp., Calif.	682	814	Buckley Fld., Colo.	93	112	March Fld., Calif.	297	1117
Truax Fld., Wis.	663	633	Belvoir, Ft., Va.	81	63	Mitchel Fld., N. Y.	28?	-
Riley, Ft., Kans.	652	323	Roberts, Cp., Calif.	78	51	Harlingen, AAB, Tex.	26?	36
VENEREAL (EXCLU		TI)	PATIENTS REMAININ END OF WEEK, PER I			DISEASE EXCLUDING ANNUAL ADMISSION RA		PTI
Hampton Roads, Va.	186	40	Forrest, Cp., Tenn.	149	136	Hampton Roads, Va.	1952	391
Daniel Fld., Ga.	149	102	Mitchel Fld., N. Y.	117	106	Daniel Fld., Ga.	1535	1643
Sutton, Cp., N. C.	104	58	Tenn, Maneuver Area, Tenn.	79	9	Eustis, Ft., Va.	1435	1263
Hamilton Fld., Calif.	99	40	Hammer Fld., Calif.	67	65	Henj. Harrison, Pt., Ind.	1402	1512
Kelly Fld., Tex.	97	48	Buckley Fld., Colo.	66	67	Des Moines, Pt., Iowa	1363	1356
Shanks, Sp., W. Y.	82	78	Callan, Cp., Calif.	64	42	Abbot, Cp., Oreg.	1330	1482

FORM 36-396E, 12 NOVEMBER 1943

RESTRICTED

\*Includes Agute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Masopharyngitis, Acute Laryngitis, And Pieurisy.

ARMY SERVICE FORGES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

VOLUME IV REPORT NO. 12
WEEK ENDING 24 March 194 4

GENERAL HOSPITALS

CONFIDENTIAL

	т		тот	AL	ARMY	PATI	ENTS		ARM	Y BA	ATTLE	CASU	ALTIES	NUN	MBER OF AT END			S	CONVALE	
GENERAL HOSPITAL	MEAN		1BER TTED	NUA	ABER D	ISPOS		ER JING WEEK	MBER ED *		POSE	OF	ER NING NEEK	CAPA	CITY	L ED	יר אד	BLE	CAPACITY	UPIED
HOOFFIAL	STE	DIREGT	BY	DIED	RETURNED TO DUTY	BY	OTHERWISE DISPOSED OF	NUMBER REMAINING END OF WEEK	NET NUMBER ADMITTED *	DIED	RETURNED TO DUTY	OTHERWISE. DISPOSED OF	NUMBER REMAINING END OF WEEK	NORMAL	TOTAL	TOTAL	TOTAL	AVAILABLE	BED CAP	BEDS OCCUPIED
TOTAL GENERAL HOSPITALS	111567	921	6657	18	4388	975	1960	57414	684	1	93	34	4644	84348	100499	49306	51193	31094	9982	4105
RECEIVING AND EVACUATION	N HOSPITALS																			
Lovell, Halloran, Star	k, Barnes,	and Le	tterman											7329	8295	4040	4255	2596		
MENTAL HOSPITALS																				
Eason, Darnall, and 474	beds at V	alley F	orge,																	
and 495 beds at Bushnel	l allotted	for me	ntal pa	tien	ts onl	У								3092	3493	1679	1814	1115		
TUBERCULOSIS HOSPITALS							- ,													
Fitzsimons 1222 beds al	lotted for	tubercu	losis	oati	ents or	nly								1094	1222	737	485	241		
ALL OTHER HOSPITALS														72833	87489	42850	44639	27142		
FIRST SERVICE COMMAND																				
Cushing, Mass.	939	11	24		12		10	279	3				24	1314	1658	257	1401	1069		
Lovell, Mass.	1457	13	88		68	13	28	774			1		73	771	1029	596	433	227	40	28
SECOND SERVICE COMMAND																				
England, N. J.	2369	25	156		155	27	26	1408	-3		6		155	1750	1750	865	885	535	2600	466
Halloran, N. Y.	2223	31	123		58	95	41	950	-1		1	1	100	3000	3000	998	2002	1402		
Mason, N. Y.	1688	16	20		19	2	56	686						1375	1375	852	523	248		

FORM SG-396D REVISED IS MAR. 1944

\* NET NUMBER TRANSFERRED DURING THE WEEK; I.E. ADMISSIONS BY TRANSFER

VOLUME IV REPORT NO. 12
WEEK ENDING 24 March 194

GENERAL HOSPITALS

CONFIDENTIAL

				тот	AL	ARMY	PATI	ENTS		ARM	Y BA	TTLE	CASU	ALTIES	NUN	BER OF			S	CONVALI	
	GENERAL	MEAN		BER TTED	NUM	MBER D	ISPOSI	ED OF	R E E K	D *		NUMBE		R E E E	CAPA	CITY			¥.		
	HOSPITAL	STRI	DIRECT	BY	DIED	RETURNED TO DUTY	BY	OTHERWISE DICPOSED OF	NUMBER REMAINING END OF WEEK	NET NUMBER ADMITTED *	DIED	RETURNED TO DUTY	DISPOSED OF	NUMBER REMAINING END OF WEEK	NORMAL	TOTAL	TOTAL	TOTAL	AVAILABLE	BED CAPACITY	BEDS OCCUPIED
	(Cont'd) SECOND SERVICE COMMAND																				
6	Rhoads, N. Y.	1472	18	43		47	28	32	734	-1		2	1	59	1381	1939	706	1233	845		
7	Tilton, N. J.	1641	5	74		51	31	18	774	3		1		147	751	913	703	210	27		
	THIRD SERVICE COMMAND																				
8	Deshon, Pa.	1327	22	61	1	61	11	33	860	-2		S		103	996	1418	710	708	424		
9	Valley Forge, Pa.	3160	22	85		114	2	52	1634	13		7	1	262	1872	1872	1346	526	152	150	119
(0	Woodrow Wilson, Va.	1824	15	184		77	30	72	1112	-2			3	24	1143	1469	899	570	276	100	90
	MILITARY DIST. OF WASH.																				
11	Walter Reed, D. C.	5414	37	224	4	140	13	57	2745	31	1	4	5	350	1895	3038	2406	632	24	300	234
	FOURTH SERVICE COMMAND																				
	Battey, Ga.	830	9	16		54	3	10	275			2		14	1367	1727	212	1515	1170	280	42
	Finney, Ga.	1708	4	71		84	22	17	914	-6		2	1	60	1390	2028	804	1224	818		
	Poster, Miss.	1482	14	30		47	6	33	768					35	1372	1768	663	1105	751	240	32
17	Kennedy, Tenn.	3446	24	163	1	138	5	66	1857	2		8	2	171	2961	3674	1436	2238	1503	450	182
	Lawson, Ga.	4271	23	105		78	24	35	1459					51	1516	1952	1390	562	172		
	Moore, N. C.	1531	16	355		43	S1	35	987	78		4		240	1619	1823	952.	871	506	192	45
TH	Northington, Ala.	1765	14	29		63	13	35	941	-1		2	1	63	1535	1947	660	1287	898	177	89
	Oliver, Ga.	1777	6	67	1	76	17	42	1049	-1		1	1	26	968	1326	787	539	274	456	109
14	Ream, Fla.	1498	3	93		45	14	20	952	1				14 S BY TRA	1038	1400	911	489	209		

\* NET NUMBER TRANSFERRED DURING THE WEEK; I.E. ADMISSIONS BY TRANSFER MINUS DISPOSITIONS BY TRANSFER.

VOLUME IV REPORT NO. 12
WEEK ENDING 24 March 194

#### GENERAL HOSPITALS

CONFIDENTIAL

	т		тот	AL	ARMY	PATI	ENTS		ARM	Y BA	TTLE	CASU	ALTIES	NUA	MBER OF			S	CONVALE FAGIL	
GENERAL HOSPITAL	MEAN		BER TTED	NUR	MBER D			ER VING WEEK	MBER TED *		POSE	D OF	WEEK	CAPA	CITY	L ED	N.T.	IBLE NT	CAPACITY	SUPIED
HOSITIAL	S TE	DIRECT	TRANSFER	DIED	RETURNED TO DUTY	TRANSFER	OTHERWISE DISPOSED OF	NUMBER REMAINING END OF WEEK	NET NUMBER ADMITTED *	DIED	RETURNED TO DUTY	OTHERWISE DISPOSED OF	NUMBER REMAINING END OF WEEK	NORMAL	TOTAL	TOTAL	TOTAL	AVAILABLE	BED CAP	BEDS OCCUPIED
(Cont'd) FO'RTH SERVICE COMMAND																				
Stark, S. C.	1597	13	793		20	10	14	943	404		1	2	415	1020	1020	564	456	252		
Thayer, Tenn.	1475	26	184		76	4	16	1091			2		21	1196	1552	865	687	377	268	157
FIFTH SERVICE COMMAND																				
Ashford, W. Va.	2173	11	69	-	87	18	14	1307	-9		4		318	1875	2000	1060	940	540	111	94
Billings, Ind.	3236	24	26		69	6	33	1064	-1		2		92	818	1046	815	231	22	300	175
Crile, Ohio	555	14	2		10			25	2				2	1727	1727		1727	1382		
Darnall, Ky.	1058	14	29		12		31	483						748	1149	477	672	442		
Fletcher, Ohio	1223	11	214	-	54	27	37	839	46		4		130	1184	1704	788	916	575		
Newton D. Baker, W. Va.	1584	9	215		38	27	14	1075	74		2		207	1632	1632	820	812	486	103	102
Nichols, Kv.	2430	30	85	2	74	27	35	1178	-4				75	1145	1509	1050	459	157		
SIXTH SERVICE COLOUND																				
Gardiner, Ill.	1325	16	145		143	8	18	745	5				42	1250	1250	727	523	273		
Mayo, Ill.	776	16	38		20	3	3	172	1				5	989	989	149	840	642	134	17
Percy Jones, Mich.	2272	36	56	1	55	4	56	1385	8		1	7	269	1567	1567	1042	525	212	185	125
SEVENTH SERVICE COMMAND																				
Fitzsimons, Colo.	4214	43	145	1	110	2	101	1686	4				25	3522	3821	2163	1658	894		
O'Reilly, Mo.	4289	37	116		145	41	191	1831	1		4	3	117	2196	2332	1427	905	439	218	140
Schick, Iowa	1594	9	45	1	87	10	28	968	5		3	1	99	1450	1690	791	899	561	197	90
Winter, Kans. FORM SG-396D REVISED 18 M.	1862	9	94	1	155	20	34	964 RING THE			5	1	42	1367	1777	957	820	465		

FORM SG-3960 REVISED IS MAR. 1944

\* NET NUMBER TRANSFERRED DURING THE WEEK; I.E. ADMISSIONS BY TRANSFER MINUS DISPOSITIONS BY TRANSFER.

VOLUME \_\_\_\_ IV REPORT NO. \_\_\_ 12
WEEK ENDING 24 March \_\_\_\_ 194 4

GENERAL HOSPITALS

CONFIDENTIAL

			TOTA	AL	ARMY	PATI	ENTS		ARM	Y BA	TTLE	CASU	ALTIES	NUN	BER OF			s	GONVALE FACIL	
GENERAL	MEAN		BER	NUM	IBER D	ISPOSE	ED OF	R NG EEK	BER ID *		NUMBE		ING EEK	CAPA	CITY			3LE IT	CAPACITY	
HOSPITAL	STR	DIRECT	BY	DIED	RETURNED TO DUTY	BY	OTHERWISE DICPOSED OF	NUMBER REMAINING END OF WEEK	NET NUMBER ADMITTED *	DIED	RETURNED TO DUTY	OTHERWISE DISPOSED OF	NUMBER REMAINING END OF WEEK	NORMAL	TOTAL	TOTAL	TOTAL	AVAILABLE	BED CAPA	BEDS OCCUPIED
EIGHT SERVICE COMMAND																				
Army & Navy, Ark.	1331	7	60		45	1	5	443					5	1114	1220	604	616	372		
Ashburn, Tex.	1438	14	33		92	12	15	771						1487	1487	685	802	505		
Borden, Okla.	1184	2	154		28	4	11	722	2				7	1003	1003	611	392	191	129	57
Brooke, Tex.	4274	39	264	2	274	39	71	1964	-3		1		75	2021	2808	1445	1363	801	746	281
Bruns, N. Mex.	1416	24	15		41	7	7	817					4	1483	1647	742	905	576	200	43
Glennan, Okla.	732	7	11		30	1	4	291					1	1725	2191	302	1889	1451	220	20
Harmon, Okla.	2364	8	86		148	17	37	1553	-1		6		31	1751	1751	1111	640	290	300	271
LaGarde, La.	1410	14	76		65	11	13	804	-1				5	979	984	629	355	158	122	82
McCloskey, Tex.	3897	14	127	1	140	48	118	2520	-1		4	1	246	3018	3620	2128	1492	768	320	180
Wm. Beaumont, Tex.	2741	35	65		82	10	33	1146					6	1334	1560	911	649	337	238	156
NINTH SERVICE COMMAND																				
Barnes, Wash.	1543	11	126		125	74	26	814					8	982	1180	667	513	277	100	49
Baxter, Wash.	1642	12	49		75	15	21	925	8			1	73	1502	1502	704	798	498	270	195
Birmingham, Calif.	713	3	1.0		43	7		275					23	1367	1727	276	1451	1106		
Bushnell, Wash.	2531	15	112	1	86	4	105	1675	14		3	1	156	2707	3034	1477	1557	950	200	23
DeWitt, Calif.	339	6	22		6			45						425	425	46	379	294		
Dibble, Calif.	976	21	30		106	6	1	368			1		8	1235	1559	365	1194	882		
Hammond, Calif.	2204	4	133		64	18	30	1383	5		3	1	62	1601	5260	1200	1060	608	225	153
Hoff, Calif.	1696	18	161	1	3.07	26	45	1163	4		1		42	822	1494	895	599	300	160	144
Letterman, Calif.	2428	19	668		76	70	23	1255						1556	2066	1215	851	438	71	48
McCaw, Wash.	1402	15	79		70	15	21	752	3		3		47	1505	1705	707	998	657		
Torney, Calif.	1721	7	109		100	5	31	813	9				15	1031	1405	738	667	386	200	67

FORM SG-396D REVISED IS MAR. 1944

\* NET NUMBER TRANSFERRED DURING THE WEEK; I.E. ADMISSIONS BY TRANSFER MINUS DISPOSITIONS BY TRANSFER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

RESTRICTED

MENINGITIS (OTHER FORMS) (6)	DIPHTHERIA (7)	POLIOWYELITIS (3)	TYPHUS FEVER (1)	JAUNDICE (66)	LISTING LIMITED TO STATIONS REPORTING
l-Shanks, Cp., N. Y. l-Hendricks Fld., Fla. l-Howse, Cp., Tex. l-McCloskey G.H., Tex. l-Hammond G.H., Calif.  Delayed Reports:  Week ending 3/17 l-Hulen, Cp., Tex.	1-Indiantown Gap, Pa. 1-Breckinridge, Cp., Ky. 1-Thomas, Pt., Ky. 1-Howse, Cp., Tex. 1-Pecos, AAF, Tex. 2-Stoneman, Cp., Calif.	1-Benning, Ft., Ga. 1-MacDill Fld., Fla. 1-Callan, Cp., Calif.	1-Hunter Fld., Ga.	l-Boston H.D., Mass. l-Presque Isle, AAF, Me. 5-Kilmer, Cp., N. J. 2-Geo. G. Meade, Ft., Md. 4-Lee, Cp., Va. 2-Pickett, Cp., Va. 2-Benning, Ft., Ga. 3-Blanding, Cp., Fla. l-Boca Raton, AAF, Fla. 2-Bragg, Ft., N. C. l-Dule Mabry Fld., Fla.	STREPTOCOCCAL SORE THROAT  12-Slippery Rock State Col., Pa. 17-Benning, Ft., Ga. 16-Breckinridge, Cp., Ky. 43-Chanute Fld., Ill. 25-Scott Fld., Ill. 19-Truax Fld., Wis. 10-Coe College, Iowa 20-Kearns, AAF, Grd. Tng.
COCCIDIOIDOMYCOSIS (11)  1-Pickett, Cp., Va.  1-Brums G.H., W. Mex.  1-Beale, Cp., Calif.  2-Cooke, Cp., Calif.  1-Minter Fld., Calif.  2-Roberts, Cp., Calif.  1-Williams Fld., Aris.	**ERATOCONJUNCTIVITIS (4)  1-Lee, Cp., Va. 1-Patrick Henry, Cp., Va. 1-Sheridan, Ft., Ill. 1-Columbia Univ., Mo.	MENINCO-ENCEPHALOMYELITIS (1) 1-Langley Fld., Va.	UNDULANT FEVER (2) 1-Biggs Fld., Tex. 1-Harmon G.H. Tex.	l-Greensboro, BTC, N. C. 2-MacDill Fld., Fla. 2-Maxwell Fld, Ala. 2-Miss. Ord. Plant, Miss. 1-Orlando, AAFTC, Fla. 4-Shelby, Cp., Miss. 1-Smyrna, AAF, Tenn. 1-Spence Fld., Ga. 1-Stemart, Cp., Ga. 1-Tyndall Fld., Fla. 1-Atterbury, Cp., Ind. 1-Knox, Ft., Ky. 1-Chanute Fld., Ill.	Inst., Utah 11-Santa Ana, AAB, Calif.  GERMAN MFASLES 25-Aberdeen Prov., Grd., Md 11-Carliele Bks., Pa. 14-Fustis, Ft., Va. 11-Goo. G. Meade, Ft., Md. 11-Pickett, Cp., Va.
Delayed Reports:  Week ending 3/17 1-Beals, Cp., Calif. 1-CalifAris. Maneuver Area Calif.  FILARIASIS (9) 9-Ashburn, G.H., Tex.	ANEVLOSTOMIASIS (7) 3-Brooke G.H., Tex. 3-Dibble G.H., Calif.	ENCEPHALITIS (2) 1-Patrick Henry, Cp., Va. 1-Roberts, Cp., Calif.	DENGUE (2) Delayed Reports:	2-Amarillo, AAF, Tex. 2-Brooke G.H., Tex. 6-Claiborne, Cp., La. 1-Kelly Fld., Tex. 1-San Angelo, AAF, Tex. 1-Wolters, Cp., Tex. 1-Kearns, AAF, Grd. Tng., Instal., Utah 1-Lewis, Ft., Wash. 1-Harch Fld, Calif. 1-Ord, Ft., Calif. 1-Rosecrans, Ft., Calif. 1-Santa Ana, AAB, Calif.	29-Benning, Ft., Ga. 13-Blanding, Cp., Fla. 19-Bragg, Ft., W. C. 24-Croft, Cp., S. C. 15-Greensboro, BTC, W. C. 13-Shelby, Cp., Miss. 11-Buckley Fld., Colo. 12-Crowder, Cp., Mo. 19-Amarillo, AAF, Tex. 10-Fannin, Cp., Tex. 14-San Antonio, Tex. Avn. Cdt. Ctr. 21-Sheppard Fld., Tex. 14-Wolters, Cp., Tex.
RESTRICTED	Delayed Reports:  Week ending 3/17 1-McCaw G.H., Wash.		Week ending 3/17 2-Stewart, Cp., Ga.	1-Williems Fld., Aris.  Delayed Reports:  Week ending 3/17  1-Hunter Fld., Ga.	BACTERIAL FOOD PCISONING 18-Rucker, Cp., Aln.

# SUPPLEMENTARY HEALTH REPORT

#### REVIEW OF MORBIDITY DATA FOR 1942 AND 1943

#### NATURE OF THE DATA

This Supplementary Health Report presents a review of the Army's morbidity and mortality experience in the continental United States during 1942 and 1943. The experience is shown for the country as a whole month by month and also for each Service Command in 1943. The data, like those of the Weekly Health Reports, have been taken from Forms 86ab rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States.

The figures here presented are the result of a comprehensive review and revision of the 1943 data; they include corrections which could not be incorporated in previously presented monthly summaries, compiled within three or four weeks after the receipt of the reports. The revised data for 1943 also include adjustment for unreported experience and other corrections. It was not practicable to review the 1942 data as thoroughly and the 1942 figures therefore should not be given as high credibility as those for 1943.

Charts showing morbidity trends from all causes, from all diseases combined, from injury and from colds, influenza, etc. are presented on page 38, while similar charts for particular diseases appear on pages 39 and 40. Mortality trends from all causes, from disease, and from injury are presented in a chart on page 41. Summaries showing the number of admissions and corresponding morbidity rates and the number of deaths and corresponding mortality rates for the United States as a whole

during 1942 and 1943 appear on pages 42 and 43, while on pages 44 to 54 are given corresponding data for the United States as a whole and for the Service Commands for 1943 only.

In the discussion and in the detail tables each of the four or five week periods based on the number of Fridays in a particular calendar month is referred to as a "month". While annual rates based on each such "month's" experience are entirely comparable, the absolute numbers of admissions (or deaths) for each such period are not; for this reason the symbol "‡" has been entered in the first column of the detail tables to indicate the months which cover 5 weeks. Where no cases at all were reported, a dash "\_" has been entered; where 1 or more cases were reported, but the rate is less than .05 per thousand, this is indicated by showing the rate as .0. Where data for a particular category were not available, this is indicated by the symbol "#".

#### REVIEW OF 1942 AND 1943 EXPERIENCE

All Causes: Disease and Injury

The health of the Army in the continental United States continued satisfactory throughout 1942 and 1943. Admissions on account of disease and injury were reported at 819 per year per thousand strength in 1943 as compared with 760 per thousand strength in 1942. However, part of the excess admission rate in 1943 represented the deliberate policy (inaugurated late in 1942) of inducting into the Army men with venereal disease.

# SUPPLEMENTARY HEALTH REPORT

#### REVIEW OF MORBIDITY DATA FOR 1942 AND 1943 (CONT'D)

It appears therefore that on a more comparable basis the 1943 morbidity of the Army in the United States was not materially higher than that experienced in 1942. This morbidity level is about half way between that reported for the years preceding the war in Europe and the high rate reached in 1941, as a result of the influenza epidemic in the first quarter of that year.

Respiratory Causes

Despite an outbreak of respiratory infections in December, the 1943 admission rate from colds, influenza, etc. was almost exactly the same as in 1942 or about 245 per thousand. This rate is about 30 percent under that experienced in 1940 and 1941 but considerably above the level prevailing in the Army during non-epidemic years in peacetime.

The outbreak of respiratory infections in December 1943 was relatively mild as is evidenced by the fact that the admission rate from colds, influenza, etc. for the month was only about 10 percent higher than for December 1942 while the peak morbidity recorded for the country as a whole was less than half that registered in December 1941.

The reported rate of admission from all forms of pneumonia was somewhat higher in 1943 than in 1942. However since the disparity appears greatest during the early months of the year it may in part reflect the underreporting of pneumonia admissions before atypical pneumonia became reportable as a separate entity (March 1942). Atypical pneumonia has since accounted for an increasing proportion of total pneumonia admissions.

Common Communicable Diseases

Higher morbidity from diarrhea and dysentery in

1943 a compared with 1942 appears largely to have been due to a number of outbreaks in the Fourth and Fifth Service Commands.

The incidence of measles, mumps and scarlet fever was also higher in 1943 than in 1942. Morbidity from measles in 1943 was however only about half that experienced in 1941. Admission rates for mumps and scarlet fever in 1943 were not materially different from those in 1941.

Chiefly because of the induction into the Army in 1943 of increasingly large numbers of men with venereal diseases the admission rate from these causes rose from 39 per thousand in 1942 to 45 per thousand in 1943 - a new high for recent years. However, disregarding the cases which existed prior to induction or which were acquired on furlough before reporting for active duty, the morbidity from venereal diseases in 1943 was only 26 per thousand. This is believed to be lower than the rate experienced in peacetime years. A study is now in progress to develop a corresponding rate for 1942.

Other Communicable Diseases

Admissions from meningitis which in recent years had been on a low level began to increase in December 1942 and reached epidemic proportions by March 1943. As a result of various measures which were promptly taken to control the situation, the admission rate soon fell to its former low level.

A sharp increase in admissions from rheumatic fever was also recorded during the first six months of 1943, concentrated chiefly in the Seventh Service Command. Because of the fact that Forms 86ab did not provide a printed entry for rheumatic fever in

#### REVIEW OF MORBIDITY DATA FOR 1942 AND 1943 (CONT'D)

1942 and for other reasons, there was considerable understatement in the number of rheumatic fever admissions during 1942. This situation held true in all Service Commands except the Second.

Morbidity from tuberculosis which showed a steady decline throughout 1942 continued to decrease during 1943. The admission rate for 1943 was only about 75 percent of that recorded for 1942.

In July 1943 a directive was issued requiring that malaria cases in the United States be classified according to their presumptive origin in or out of the United States. Based on a study of the reports since September 1943, an estimate was made of the admissions from malaria acquired in the United States during 1943. The incidence of malaria acquired in the United States is seen to be very low, with a peak during the summer months. The increasing number of total malaria cases reported reflects the return to the United States of large numbers of individuals who contracted malaria overseas.

Injuries

As a result of special efforts to reduce accidents (by education, training, and use of safe-guards) the rate of admission from injury which had shown a sharp decrease in 1942 from the high level prevailing in 1941 registered a further decrease in 1943. The 1943 injury admission rate of 80 per thousand appears to be under the lowest rate from this cause reported in recent years.

Neuropsychiatric Disorders

Admissions for neuropsychiatric disorders were first required to be reported on the present basis

in the latter part of 1942. Because there was no printed entry therefor on Form 86ab, neuropsychiatric admissions were for a considerable time incorrectly reported. A study was made of the December 1943 reports to estimate the actual neuropsychiatric admissions (see Supplemental Health Report included with the Weekly Health Report for the week ending 21 January 1944). The revised data indicate that there was a marked increase in admissions from neuropsychiatric causes during the first nine months of 1943. Because of intensive efforts to detect such disorders and for other reasons (among them the reconsidering of the medical fitness of limited service men) the admission rate from neuropsychiatric causes rose from about 20 per thousand in the latter part of 1942 to about 35 per thousand in August and September 1943 but declined during the last three months to average 27 per thousand for the year 1943.

The number of neuropsychiatric cases remaining under treatment rose from about 8,200 at the end of 1942 to a peak of almost 18,000 in the latter part of 1943 and then declined to about 15,000 at the end of the year. Almost all of this change was attributable to open ward cases; locked ward cases varied only within the range of 4,100 to 5,100 during 1943.

There has been some tendency to overstate the number of admissions to open wards and to correspondingly understate the admissions to locked wards; it has not been practicable to make corrections for this in the data here presented.

# REVIEW OF MORBIDITY DATA FOR 1942 AND 1943 (CONT'D)

#### Mortality

Recent studies indicate that the reporting of deaths on Forms 86ab is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 25 percent and occasionally even more, but the death rate from disease is not materially understated.

Readers are cautioned not to use the death rates from injury or the death rates from all causes shown in this report as accurate indications of mortality rates.

It may also be noted that for some months the number of deaths from all causes as shown in this report exceeds the total of the disease deaths and injury deaths. The reason for this is that occasionally a few battle casualty deaths among evacuees (originally classified as "battle casualty") have been properly included with the total deaths.

During 1942 the mortality rate from disease was recorded as .64 per thousand, while the death rate from injury was reported at 1.39 per thousand and is estimated to have been in the neighborhood of 1.75 per thousand, resulting in an estimated death rate from all causes of about 2.4 per thousand. During 1943 the death rate from disease was reported at .58 per thousand and the death rate from injury at 1.63 per thousand. After adjustment for under-reporting, the 1943 death rate from injury is estimated at about 2.0 per thousand resulting in a mortality rate from all causes of about 2.6 per thousand.

#### Non-effective Rate

Data on the non-effective rate have been presented only for the United States as a whole, because the variations in the non-effective rate by Service Command do not reflect so much any differences in morbidity between Service Commands, as the varying number of hospitals in each Service Command.

The revised data indicate that the non-effective rate for the country as a whole rose from 31.7 per thousand strength during 1942 to 36.5 per thousand during 1943. This increase in the non-effective rate reflects in addition to the slightly higher admission rate experienced in 1943 such factors as the hospitalization of an increasing number of evacuees from overseas theaters and the natural increase in non-effectiveness to be expected in a group, which after a period of rapid expansion, is levelling off in numbers; as a result, cases of long duration tend to accumulate and comprise a higher proportion of total cases under treatment than in the past.

#### REVIEW OF MORBIDITY DATA FOR 1942 AND 1943 (CONT'D)

#### VARIATIONS BY SERVICE COMMAND IN 1943

#### All Causes: Disease and Injury

The Seventh Service Command reported the highest admission rates from all causes and from all diseases combined in 1943, both rates being about 20 percent above the average for the United States. On the other hand, the First Service Command and the Military District of Washington had the lowest morbidity from all causes and from disease, specifically about 15 percent below the average for the country as a whole.

With the exception of the Military District of Washington, which reported an extremely low admission rate from injury, morbidity from this cause did not vary widely by Service Command. Disregarding the Military District of Washington, the admission rate from injury ranged from a low of 65 per thousand for the First Service Command to a high of about 85 per thousand for the Fourth, Eighth, and Ninth Service Commands.


#### Respiratory Causes

The Sixth and Seventh Service Commands had the highest admission rates for colds, influenza, etc. in 1943, at about 370 per thousand or about 50 percent higher than the average for the United States as a whole. The Eighth and Ninth Service Commands had the lowest morbidity from colds, influenza, etc. with rates of about 210 per thousand or about 15 percent lower than the United States average.

The highest morbidity from pneumonia was recorded in the Seventh Service Command and the Military District of Washington (about 29 per thousand), while the lowest was in the Ninth Service Command (about 11 per thousand).


# MORBIDITY FROM — ALL CAUSES — DISEASE — INJURY — COLDS, INFLUENZA, ETC.

CONTINENTAL UNITED STATES




# MORBIDITY FROM - PNEUMONIA - DIARRHEA AND DYSENTERY

VENEREAL DISEASES --- NEUROPSYCHIATRIC CAUSES



#### RESTRICTED MORBIDITY FROM - MENINGITIS-RHEUMATIC FEVER-MALARIA

MEASLES-MUMPS-SCARLET FEVER




# MORTALITY

FROM

ALL CAUSES\* DISEASE INJURY\*

CONTINENTAL UNITED STATES



CONFIDENTIAL

1942 AND 1943 SUMMARY FOR THE CONTINENTAL UNITED STATES

VOLUME TY REPORT NO. 12

								ADM	18810	NS								N	EUF	ROP	SY	CHI	ATR	IC	CASE	S	
ONTH	STRE	AN NGTH	AL GAU		DISE	ASE	INJ	URY	COL	DS ENZA,	PNEUM		DIARE	ND	VENE INCLU	REAL	TOI		LOC	KED	OP		REMA		LOCKED	OF	PEN
	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942		1942	1943	EP	T1	1942	1943	1942		WA#		1942	1943	WARDS	-	1RDS
					ANN	UAL	F	AT	ES	PE	R	1.0	0 0		SI	RE	N G	TH			1						-
JAN			895	1022	792	951	105	71	310	500	10.3	27.2	4.7	5.1	47	37		20.8	#	7.4	#	13.4					
FEB			984	964	883	884	101	80	434	382		23.6	4.6	5.0	49	35		19.4	#	6.8	#	12.6					
MAR			950	984	853	908	97	76	406	354			3.6	5.1	42	39		20.1	#	7.1	#	13.0					
APR			779	874	693	796	86	78	261	287	8.2		3.2	7.3	35	43		21.8	#	7.4	#	14.4					
MAY			707	767	613	683	94	84	197	208		16.6	4.3	9.5	35	44	-	24.8	#	8.4	#	16.2					
JUNE			697	716	601	626	96	90	143	136	7.6		7.2	18.2	30	42	#	27.2	#	9.1	#	18.1					
JULY			657	714	555	623	102	91	108	101	6.5	9.6	12.1	26.2	33	45		28,9	#	9.0	#	19.8					
AUG			656	757	558	664	98	93	115	95	7.6	8.8	10.0	19.0	36	47	#	34.8	#	9.6	#	25.2					
SEPT			683	700	588	618	95	82	139	98	12.0	8.8	13.8	13.9	41	48	21.5	35.4	7.6	9.3	13.9	26.1					
OCT			675	658	589	579	86	79	158	104	16.1	9.8	9.1	9.7	40	51	20.0	32.4			12.6	23.6					
NOV			741	675	661	600	80	75	260	160	18.5	11.3	6.7	8.6	42	54	21.1	27.8	7.7	7.8	13.4	20.0					
DEC			900	1016	829	950	71	66	492	546	24.5	19,5	5.5	9.0	41	52	21.6	24.8	7.7	7.7	13.9	17.1					
TOTAL			760	819	669	739	91	80	243	247	12.7	16.0	7.5	11.6	39	45	#	26.6	#	8.2	#	18.4					
								NUN	BEF	2	OF	(	CAS	E S	3 †								-	-		-	
1942 + JAN +	1453472	4421806	125079	434595	110623	404470	14456	3017.5	43385	212537	1437	11876	663	2187	6511	15731	#	8833	#	3144	#	5689	#	9710	# 414	#	55
FEB	1692832	4837832	128173	358730	115072	329051	13101	29679	56496	141980	1305	8783	601	1848	5427	13099	#	7230	#	2538	#	4692	#	10366	# 4310	#	60
MAR	1925049	4950155	140662	374885	126365	345764	14297	29121	60106	134772	1724	9409	526	1961	6153	14804	#	7665	#	2713	#	4952	#	0652	# 4479	#	61
APR *	2072599	5142635	124224	432248	110505	393446	13719	38802	41686	142156	1314	10112	509	3827	5546	21143	#	10786	#	3664	#	7122	#	2035	# 476	#	172
MAY	2215433	5267094	150674	310950	130565	276898	20109	34052	41905	84361	1797	6733	915	3767	7419	17942	#	9968	#	3387	#	6581	#	13014	# 496	#	68
JUNE	2430666	5307313	130260	292265	112325	255435	17935	36830	26731	55705	1425	5252	1340	7回3回	5521	17290	#	11113	#	3715	#	7398	#	3606	# 487	#	87
JULY +	2571904	5258975	162515	361074	137383	315015	25132	46059	26831	51294	1607	4846	3008	13235	8058	22905	#	14632	#	4565	#	10067	#	4488	# 4838	#	96
AUG	2751247	5243869	138809	305266	118084	267923	20725	37343	243011	38438	1604	3556	2126	7564	7611	19019	#	14006	Ħ	3881	#	10145	#	16817	# 497	#	11
SEPT	2943701	5154948	154738	277461	133117	245125	21621	32336	31369	3 727	2708	3482	3133	5518	9291	19118	4869	14049	1721	3698	3148	10351	6432	17123	2908 610	3524	12
+ OCT +	3205835	5106570	208051	323247	181505	284484	26546	38763	48844	51096	4975	4826	2803	M761	12188	24983	6165	15908	2281	4317	3884	11591	7039	17818	3082 5079	3967	12
NOV	3560451	4949233	203108	256862	181089	228399	22019	28463	71251	60829	5059	4319	1841	3274	11538	20538	5779	10563	2109	2955	3670	7608	7698	17606	3152 5034	4546	12
DEC *	3803197	4879051	263207	476818	242501	445973	20706	30845	144019	256176	7153	9144	1614	4212	11856	24310	6320	11635	2253	3608	4067	8027	8171	15191	3538 452	4633	10
TOTAL	2537928	5035605	1929500	4204401	1699134	3791983	230366	412418	616929	1268071	32108	82038	19074	50488	98119	230002		136388		42165		94223					

\* INCLUDES ACUTE BRONCHITIS, ACUTE RHINITIS, CORYZA, ACUTÉ TONSILLITIS, ACUTE PHARYNGITIS, ACUTE NASOPHARYNGITIS, ACUTE LARYNGITIS AND PLEURISY + BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WEEKS INDICATED BY \$

#### 1942 AND 1943 SUMMARY FOR THE CONTINENTAL UNITED STATES

VOLUME IN REPORT NO. 12

											ADA	AISS	SION	S								D	EA'	THS			NUMBE	
MONTHT	STREM		MEAS	LES	MUN	IPS	SCARL		M'GOG		RHEUM		ATYP		TUBERCU	DEDINE .	тот	MALA	ACQU IN U.		CAU		DISE	ASE	INJU	RY	NONEFFE	CTIVES
	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942	1943	1942	194
					A	N N	UAL	-	RA	TE	S	P	ER	1	000	0	SI	RE	N G	TH								
JAN			3.1	8.2	8.0	7.7	.8	2.3	.2	1.9	.2	.4	#	10.1	2.9	1.2	.2	.2	#	.1	2.40	1.99	.61	.74	1.79	1.25	33.1	36.
FEB			10.7	21.9	14.8	13.6	2.1	3.2	.5	2.4	.1	.7	#	9.0	2.4	1.3	.3	.5	#	.1	2.04	1.73	.58	.69	1.46	1.04	36.3	36
MAR			22.0	30.9	19.5	18.7	3.2	5.8	.4	2.9	.2	1.3	1.0	8.7	2.4	1.3	. 3	.5	#	.2	2.10	2.14	.63	.75	1.47	1.39	36.2	37
APR			19.1	18.1	17.6	19.4	2.8	7.0	.3	2.4	.5	1.8	1.8	7.2	2.0	1.4	.4	.8	#	.2	1.95	1.96	.58	.70	1.37	1.26	34.1	35
MAY			11.7	8.3	10.5	12.6	1.2	4.6	.4	1.4	.6	2.5	2.3	6.0	1.5	1.3	.6	1.3	#	.3	2.00	2.33	.62	.58	1.38	1.75	32.4	33
JUNE			4.4	3.7	5.9	7.0	2.4	2.0	.3	.9	.5	1.9	2.4	5.7	1.3	1.2	.9	1.8	#	.4	2.17	2.58	.69	.58	1.48	2.00	31.9	32
JULY			1.5	1.3	2.9	3.3	.3	.8	.2	.6	.3	1.4	2.3	4.2	1.5	1.0	1.1	1.5	#	.4	2.20	2.47	.73	.54	1.47	1.93	30.1	33
AUG			.4	.5	1.6	1.4	.2	.7	.2	.6	.2	1.2	2.8	3.8	1.5	1.1	1.0	1.7	#	.4	2.28	2.42	.60	.49	1.68	1.93	28.8	35
SEPT			.3	.5	1.2	.8	.2	.5	.2	.3	.3	.8	5.5	4.3	1.4	1.2	1.0	2.0			2.44	2.28	.60	.43	1.84	1.85	29.2	38
OCT			.3	.7	1.2	.8	.4	.5	.2	.3	.2	.8	7.0	4.4	1.3	1.1	.7	2,0	#		1.97		.68				28.3	38
NOV			.4	.6	1.9	1.0	.7	1.0	,3	.3	.2	.7	8.2	5,0	1.3	1.0	.4	2.1	#		1.40		.57	.48	.83	1.57	30.4	39
DEC			2.0	1.5	3.6		1.4	2.0	.9	.6	.2	.8	9.7	7.5	1.4	.9	.3	2.4	#	.1	1.76	2.13	.69	.56	1.07	1.57	36.4	42
TOTAL			5.0	7.7	6.0	7.3	1.1	2.5	•3	1.2	.3	1.2	#	6.3	1.6	1.2	.6	1.4	#	.2	2.03	2.21	.64	.58	1.39	1.63	31.7	36
									N	UM	BE	R	OF	(	CAS	ES	†											
42 JAN 1945	1453472	4421806	433	3500	1124	3288	111	976	22	823	29	165	#	4304	401	502	32	96	#	20	336	850	85	317	251	533		
FEB	1692832	4837832	1389	8137	1928	5050	271	1198	59	905	19	258	#	3366	307	485	37	195	#	50	266	645	75	258	191	387		
MAR	1925049	4950155	3256	11784	2885	7111	480	2207	64	1100	37	503	143	3315	359	487	42	204	#	60	311	815	94	285	217	530		
APR T	2072599	5142635	3052	8948	2808	9595	444	3452	51	1176	82	909	280	3581	320	717	57	384	#	100	312	969	93	348	219	621		
TMAY	2215433	5267094	2482	1	2239	5092	263	1881	84	574	118	999	492	2434	322	507	133	537	#	140	425	944	133	234	292	710		
JUNE	2430666	5307313	818		1100		449	832	52	376	92	779	453	2342	239	477	173	726	#	150	406	1055	130	237	276	818		
TJULYT	2571904	5258975	363	646	728	1681	64	421	60	319	80	693	559	2124	383	516	282	761	#	200	544	1253	180	275	364	978		
AUG	2751247		90	207	344	572	39	273	32	224	48	476	598	1550	318	442	212	681	#	180	483	979	128	198	355	780		
SEPT	2943701	5154948	64		277	322	40	191	34	120	66	300	1237	1694	312	493	223	795	#	110	551	904	135	170	416	732		
† OCT †	3205835	5106570	83	1	359	404	136	247	56	138	72	402	2166	2159	416	552	216	993	#	104	608	1155	209	212	399	942		
NOV	3560451	4949233	110	+	512	389	186	377	81	127	50	279	2250	1905	349	392	107	780	#	32	384	781	156	180	228	598		
DEC T	3803197	4879051	578	717	1047	921	409	936	265	299	52	383	2835	3508	418	435	84	1133	#	41	516	999	203	262	313	735		
TOTAL	2537928	5035605	-	39606	-	37267	2892	12991	-	6181	745	6146	4	32282	4144	6005	1598	1	#	1187		11349				8364		

CONFIDENTIAL

DATA NOT AVAILABLE; SEE TEXT.

† BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WELKS INDICATED BY \*\*

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

1943 SUMMARY FOR THE TOTAL UNITED STATES

VOLUME IVERPORT NO 12

	I								A D	MI	SS	10	N:	5									NEU	ROPSY		TRIC	De	ATI	ше
MONTH <sup>†</sup>	MEAN	, W	a a	N ×	NZA *	NIA VG	1EA ERY	DING	TRIC	80	တ	ET	TIS	TIC	SAL	0818	MAL			ENER	ż-	,	ADMIS	SIONS		MONTH	DE	AII	1
MONTH.	MEAN	ALL	DISEASE	INJURY	COLDS INFLUENZA ETC.*	CINCLUDING ATYPICAL)	DYSENT	VENEREAL (EXCLUDING EPTI)	PSYCHIATRI CASES	MEASLES	MUMPS	SCARLET	M*COCCIC MENINGITIS	PEVER	ATYPICAL	TUBERGULOSIS	TOTAL	ACQUIRED IN U.S.A.	SYPHILIS EXCL, EPTI	GONORRHEA EXCL. EPT!	OTHER VEN	TOTAL VENEREAL EPT!	LOCKED	OPEN	LOCKED	WARDS	CAUSES	DISEASE	
				AN	NU	AL		R A	TE	S		PE	R		1 (	0	0	S	TR	E N	G 1	Н							
JAN		1022	951	71	500	27.2	5.1	27.8	20.8	8.2	7.7	2.3	1.9	.4	10.1	1.2	.2	.1	4.6	20.5	2.7	9.2	7,4	13.4			1.99	.74	1
FEB		964	884	80	382	23.6	5.0	24.1	19.4	21.9	13.6	3.2	2.4	.7	9.0	1.3	.5	.1	3.9	17.9	2,3	11.1	6.8	12.6			1.73		Т
MAR		984	908	76	354	24.7	5.1	23.3	20.1	30.9	18.7	5.8	2.9	1.3	8.7		.5	.2	4.3	16.9		15.6	7.1	13.0			2.14		1
APR		874	796	78	287	20.4	7.3	24.0	21.8						7.2		.8	.2	5.0	16.9			7.4	14.4			1.96	.70	T
MAY		767	683	84	208	16.6	9.3	25.7	24.6	8.3	12.0			2.5	6.0		1.3	.3	4.7	18.7		18.6	8.4	16.2			2.33	.58	T
JUNE		718	626	90	136	12.9	18.2	26.0	27.2	3.7	7.0	2.0	.9	1.9	5.7	1.2	1.8	.4	5.2	18.6		16.4	9.1	18.1			2.58	.58	T
JULY		714	623	91	101	9.6	26.2	29.4	28.9	1.3	3.3	.8	.6	1.4	4.2	1.0	1.5	.4	6.0	20.9		15.9	9.0	19.9			2.47	.54	T
AUG		757	664	98	95	8.8	19.0	28.7	34.8		1.4	.7	.6	1.2	3.8	1.1	1.7	.4	5.0	21.7		18.4	9.5	25.2			2.42	.49	1
SEPT		700	618	82	98	8.8	13.9	27.7	35.4	.5	.8	.5	.3	.8	4.3	1.2	2.0	.3	5.2	20.6			9.3	26.1			2.28	.43	
OCT		658	579	79	104	9.8	9.7	26.3	32.4	.7	.8	.5	.3	.8	4.4	1.1	2.0	.2	4.5	19.9		24.6	8.8	23.6			2.35	.43	
NOV		675	600	75	160	11.3	8.6	25.9	27.8	.6	1.0	1.0	.3	.7	5.0	1.0	2.1	.1	4.9	19.3			7.8	20.6			2.05		1
DEC		1016	950	66	546	19.5	9.0	24.9	24.8	1.5	2.0	2.0	.6	.8	7.5	.9	2.4	.1	4.4	18.9		26.9	7.7	17.1			2.13	. 56	1
TOTAL		819	739	80	247	16.0	11.6	26.2	26.6	7.7	7.3	2.5	1.2	1.2	6.3	1.2	1.4	.2	4.8	19.3		18.8	8.2	18.4			2.21	. 58	Т
			A					N	UM	discourance of the last of the			0	-	-	-	SE	ST			1.77.0			22.4.2			the Line		
JAN +	4421806	434595	404470	30125	212537	11576	2187	11780	8833	3500	3288	976	323	165	4304	502	96	20	1940	8703	1137	3951	3144	5689	4143	5573	850	317	I
FEB	4837832	358730	329051	29679	141980		1848	8973	7230		5050				3366	485	195	50	1470	6656		4126	2538	4692	4310		645		T
MAR	4950155		345764	29121	134772		1961	8891		11784					3315		204		1641	6442		5913	2713	4952	4479				1
APR +	5142635	432248	393446	38802	142156	10112		11873	10786		9595				3581	717	384	100	2465	8364	1044		3664	7122	4765	7270	969		
MAY	5267094	310950	276898	34052	<b>斯</b> 43開2			10368	9968		5092				2434	507	537	140	1893	7559	916		3387	6581	4968	8046	944		Т
JUNE	5307313	292265	255435	36830	55705	5252	7433	10612	11113						2342		726		2103	7610	899		3715	7398	4877		1055		T
JULY #	5258975	361074	315015	46059	51294	4846	13235	14855	14632		1681	421		693	3124	516	761	200	3018	10577	1260	8050	4565	10067	4838	9650	1253		T
AUG	5243869	305266	267923	37343	38438	3556	7664	11579	14006	207	572		324		1550	442		180	2008	8767	804	-	3861	10145	4974	11843	979		T
SEPT	5154948	277461	245125	32336	38727	3482	5519	10966	14049	200		1		300	1004	493	195	110	2052	8179	-	圖1圖2	3698	10351	5105	12018		170	
DCT +	a106570	323247	284484	38763	51096	4886		12896	15908		-				2184	0.52	993	104	2193	9768		12087	4317	11591	5079	12739			1
NOV	4949253	256862	228399	28463	81329	4319		9849	10563	242	days o			T	1305	392	780	32	1649	7340		13689	2955	7608	5034				1
DEC #	4879051	476818	445973	30845	256176	9144		11701	11635	1	921		-	1	3508	435	1133	41	2075	3663		12309	3608	8027		12572	781 999		1
TOTAL	5035605	1	3791983		-	-			& company the engagement of	-	-	1	-	-								-	3000	3021	2020	10000	333	202	+

# INCLUDES ACUTE PROMOHITIS, ACUTE NHINITIS, CORYZA, ACUTE TONSILLITIS, ACUTE PHARYNGITIS, ACUTE NASOPHARYNGITIS, ACUTE LARYNGITIS, AND PLEURISY.

TBY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WEEKS INDICATED BY \*

Form SG 674, 25 Feb 1944. CONFIDENTIAL

CONFIDENTIAL

1943 SUMMARY FOR THE FIRST SERVICE COMMAND

VOLUME IV REPORT NO. 12

OLUME	REPORT	NO																											
	I								A D	MI I	5 5	10	N S	3									NEU	ROPSY		TRIC	0.5	ATH	
	NGT	60	E .	<u>&gt;</u>	42.4	4 0 7	EA	3 5	B C	on .		b	0 88	0	HA H	9180	MAL			ENER		_	ADMIS		REMAI	NING AT	UE	ATE	3
MONTH	MEAN	ALL	DISEASE	THUCHI	COLDS INFLUENZA ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DI SENTERY DY SENTERY	VENEREAL (EXCLUDING EPTI)	NEURO- PSYCHIATRI CASES	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	TUBERGULOSIS	TOTAL	ACOUIRED IN U.S.A.	SYPHILIS EXGL. EPT:	BONORRHEA EXOL EPTI	OTHER VEN. EXCL. EPT!	TOTAL VENEREAL EPT!	LDOKED	OPEN WARDS	LOCKED	WARDS HANDMA	CAUSES	DISEASE	INJURY
				AN	NU	AL		RA	TE	S		PE	R		10	0	0	S	TR	E N	G T	Н							
JAN		970	896	74	492	29.4	4.9	19.0	17.2	4.3	5.4	1.6	1,7	.2	17.0	.9	_	#	2.4	16.2	.4	6.8	5.7	11.5			2.1	.9	1.7
FEB		882	797	85	388	19.8	3.1	16.0	17.8	8.4	13.8	2.8	2.3	.2	15.5	.7	.4	#	2.1	12.9	1.0	4.6	6.3	11.5			1.2	.3	0
MAR		779	718	61	301	18.6	2.6	18.1	17.3	15.1	9.9	3.7	2.8	.2	13.5	.8	.4	#	1.3	9.4	2.4	9.0	5.5	11.8			1.2	.7	
APR		803	747	56	325	23.0	14.1	16.6	18.6	5.2	9.9	5.7	1.4	.7	14.1	.8	.5	#	3.5	12.0	1.1	14.6	4.2	14.4			.9	.5	
MAY		651	585	66	227	16.2	4.8	17.3	21.0	5.9	9.7	6.5	1.5	1.1	8.4	.7	1.0	#	2.1	13.9		16.4	5.1	15.9			1.9	.6	1.
JUNE		579	507	72	114	13.6	5.6	14.9	24.3	2.4	5.9	.9	1.3	1.2	7.0	.8	.9	#	1.4	12.1	1.4	13.2	5.2	19.1			2.5		
JULY		524	449	75	76	10.1	14.1	17.5	28.2	1.6	2.9	.4	.7	.7	5.7	.2	.8	#	2.7	14.0	.8	9.0	5.2	23.0			3.2		
AUG		523	461	62	78	9.5	6.8	23.0	36.4	.4	.8	.1	1.2	.4	5.1	.4	.8	#	3.7	18.8	.5	6.5	7.3	29.1			1.5	.3	
SEPT		541	483	58	97	9.6	3.4	20.7	27.1	.4	.9	.2	.6	.6	4.9	.6	1.2	.2	5.9	15.4	1.4	9.4	6.8	20.3			1.7		
ост		527	467	60	103	11.9	13.6	15.7	25.9	.1	.4	.4	.5	1.3	6.0	.9	1.7	.1	2.3	12.5	.9	8.5	7.1	18.8			1.2	.4	
NOV		561	500	61	159	13.0	13.5	16.2	27.9	-	.2	.4	.7	.8	8.1	.6	2.5	.1	1.7	14.0	.5	8.5	6.0	21.9			.9	.5	
DEC		985	930	55	628	20.5	4.8	16.4	24.9	.8	1.1	1.5	.6	.8	7.7	.4	2.0	_	3.0	12.5	.9	9.4	9,2	15.7			1.1	. 5	1
TOTAL		690	626	65	246	16.0	8.0	17.2	24.1	3.5	4.8	2.0	1.2	.7	9.2	.7	1.0	#	2.5	18.6	1.1	10.0	6.2	17.9			1.6	.6	1.
								N	UM	BE	R		01	F	(	A	SE	ST											
JAN+	136666	12748	11772	976	6463	386	64	249	226	56	71	21	22	2	223	12		4	31	213	5	90	75	151	110	164	27	11	1
FEB	151016	10251	9263	988	4513	224	36	186	207	97	160	32	27	2	180	8	5	#	24	150	12	53	73	134		126		4	1
MAR	160009	9592	8842	750	3702	229	32	162	213	186	122	46	34	2	166	10	5	#	16	116	30	110	68	145		157	15	9	
APR *	169793	12344	11476	868	4996	354	217	255	287	80	152	88	22	10	216	13	7	#	54	184	17	225	65	222		152	13	7	
MAY	158731	7955	7146	809	2776	185	58	212	256	72	119	79	18	14	102	9	12	#	26	170	16	250	62	194	115	193	23	7	1
JUNE	170453	7597	6650	947	1502	178	73	196	318	32	77	12	17	16	92	11	12	#	18	159	19	173	68	250	98	241	33	13	2
JULY *	173943	8760	7512	1248	1276	169	236	292	472	26	48	7	12	11	95	8	13	#	45	234	13	152	87	385	99	248	54	16	3
AUG	178737	7196	6343	853	1078	131	94	316	500	6	11	1	18	6	70	6	11	#	51	258	7	90	100	400	95	274	20	4	1
SEPT	171259	7129	6362	767	1284	126	45	273	358	5	12	3	8	8	65	8	15	2	52	203	18	124	90	268		270	22	9	1
OCT †	171519	8687	7694	993	1695	197	224	259	427	1	6	7	8	21	99	15		1	38	206	15	140	117	310		318	19	7	1
NOV	160021	6900	6156	744	1955	160	166	200	343	-	2	5	9	10	100	7	31	1	21	173	6	105	74	269		353	11	6	
DEC *	156024	14782	13953	829	9417	307	72	246	373	12	17	22	9	12	116	. 6	30	-	45	187	14	141	138		138	193	17	8	
TOTAL	162087	113941	103169	10772	40667	2646	1317	2846	3980	573	797	323	204	114	1524	108	168	#	421	2253	172	1653	1017	2963			268	101	16

# INCLUDES ACUTE BRONCHITIS, ACUTE RHINITIS, CORYZA, ACUTE TONSILLITIS, ACUTE PHARYNGITIS, ACUTE LARYNGITIS, AND PLEURISY.

THY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF PRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WEEKS INDICATED BY T.

1943 SUMMARY FOR THE SECOND SERVICE COMMAND

VOLUME \_\_IV REPORT NO. 12

	I								A D	MI	SS	1 10	NE	3									NEU	ROPSY		TRIC	DE	ATH	IS
	AN	90	S	× ×	S * *	NIA IG	EA	AL	TRIC S	S	97	110	TIS	FIG	AL	0.815	MAL			ENER			ADMIS	SIONS		HING AT			
MONTH	MEAN	ALL	DISEASE	INJURY	COLDS INFLUENZA ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DY SENTERY	VENEREAL (EXCLUDING EPTI)	PSYCHIATRI CASES	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	FEVER	PNEUMONIA	TUBERCULOSIS	TOTAL	ACQUIRED IN U.S.A.	SYPHILIS EXGL. EPTI	GONORRHEA EXCL. EPT!	EXCL. EPTI	TOTAL VENEREAL EPTI	LOCKED	OPEN	WARDS	WARDS	CAUSES	DISEASE	INJURY
				AN	NU	AL		RA	TE	S		PE	R		10	0	0	S	TR	EN	G T	Н							
JAN		1017	957	60	459	21.0	3.3	29.6	24.0	.8	5.4	1.6	1.4	-	4.7	.4	.2	#	5.0	20.6	4.0	12.3	8.1	15.9			.9	.3	
FE8		1055	987	68	432	20.2	3.0	27.4	20.0	4.7	8.7	2.4	5.3	.3	4.9	.4	.1	#	2.4	21.7	3.3	22.7	8.2	11.8			1.4	.9	
MAR		1102	1028	74	437	21.8	7.5	21.0	22.0	16.6	13.7	7.0	3.3	.3	3.8	.7	.3	#	2.6	16.6	1.8	50.0	8.7	15.3			2.5	1.4	1.
APR		1030	970	60	427	20.4	4.7	20.5	23.1	12.8	16.4	9.8	2.3	.5	3.4	.5	.2	#	3.5	18.9	3.1	48.1	10.5	12.6			1.6	1.1	
MAY		857	792	65	269	14.6	11.0	22.3	32.8	7.2	9.2	6.1	3.0	.5	3.5	.3	.5	#	2.]	16.9	3.3	32.1	13.3	19.5			1.3	.4	
JUNE		755	669	86	159	10.1	3.9	29.7	36.8	2.4	5.4	1.4	1.1	.6	3.3	.6	1.1	#	3.1	22.0	4.6	28.1	14.5	22.3			1.7	.6	1.
JULY		695	618	77	105	11.1	15.1	32.2	40.9	.9	2.1	.1	.9	.6	4.2	. 3	.6	#	5.3	22.2	4.7	30.4	12.7	28.2			1.6	.6	1.
AUG		715	640	75	105	9.2	11.9	33.2	59.6	.1	.9	.3	.3	.6	2.2	.4	.7	#	4.2	26.1	2.9	39.6	16.6	48.0			1.3	.4	
SEPT		724	649	75	110	10.0	11.1	34.2	56.8	.1	.8	.7	.4	.0	2.5	.7	.7	.2	6.4	26.1	2.7	40.6	18.1	38.7			1.9	.4	1
OCT		706	634	72	132	10.6	15.6	31.0	44.1	.7	.9	.3	.3	.4	2.8	.9	1.0	.0	5.1	22.5	3.4	35.1	17.7	26.4			1.6	.3	1
NOV		785	704	81	199	12.3	12.7	37.1	31.4	.6	.9	.3	.5	.5	4.4	1.1	1.4	-	7.1	26.5	3.5	45.5	13.9	17.5			1.1	.4	
DEC		1300	1248	52	820	25.3	19.8	39.6	32.0	1.0	2.2	2.2	1.0	.3	6.1	.3	1.5	.1	5.4	31.4	2.8	36.3	11.6	20.4			1.3	.5	
TOTAL	1	898	NUM	70	310	15.7	10.2	29.9	36.2	3.9	5.5	2.7	1.6	.4	3.8	.5	.7	#	4.4	22,1	3.4	35.2	12.8	22.4			1.5	.6	
								N	UM	BE	R		0 1	F	(	A	SE	ST											
JAN	255372	24960	23482	1478	11261	516	82	729	588	19	132	40	35		115	10	4	#	123	507	99	300	198	390	221	528	23	9	,
FEB	266981	21668	20264	1404	8871	414	62	563	412	97	178	50	109	7	101	9	2	#	49	446	68	465	169	243	243	467	29	19	
MAR	254380	21560	20114	1446	8548	427	146	410	430	-324	269	137	64	6	74	14	6	#	50	324	36	1082	171	259	244	405	48	27	
APR *	275106	27231	25656	1575	11299	540	124	540	610	339	434	260	62	13	89	14	4	#	92	367	81	1274	278	332	273	497	43	29	
MAY	280343	18450	17059	1391	5805	314	238	480	706	155	198	131	64	11	75	7	10	#	46	363	71	692	287	419	359	553	27	. 8	
JUNE	271592	15777	13970	1807	3324	210	82	620	767	50	112	30	22	13	68	12	22	#	64	459	97	587	302	465	411	842	35	13	
JULY *	276356	18485	16428	2057	2779	295	402	855	1086	24	56	2	23	16	112	7	15	#	141	589	125	808	337	749	439	628	43	17	1
AUG	273401	15045	13458	1587	2202	194	250	697	1253	3	18	6	7	13	47	9	14	#	89	548	60	835	349	904	526	1152	27	9	
SEPT	372486	15167	13601	1565	2296	:09	232	717	1191	2	17	15	8	1	53	14	19	4	134	527	56	851	379	812	751	1267	39	8	
OUT *	171063	18402	16528	1874	3439	276	406	807	1150	18	23	9	3	11	72	34	26	1	133	586	88	914	462	688	808	645	41	6	
MOA	60582	15742	14111	1631	3187	247	254	744	629	12	18	6	11	10	88	22	38	-	143	531	70	313	78	351	896	759	23	8	
DEC *	69681	33699	32359	1340	21: 55	655	514	1027	830	25	58	58	. 5	3	159		38		141	514	72	541	301	529	546	1076	35	13	
TOTAL	1101.76	246186	227030	19156	85066	4297	2792	3189	9652	1068	1513	744	4.58	109	1053	150	188	75	1205	6061	.123	7662	3511	6141			413	166	2

\* INCLUDES ACUTE BRONCHITIS, ACUTE PHARYNGITIS, CORYZA, ACUTE TONSILLITIS, ACUTE PHARYNGITIS, ACUTE LARYNGITIS, AND PLEURISY.

TBY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WEEKS INDICATED BY #.

Form SG 674, 25 Feb 1944. CONFIDENTIAL

# DATA NOT AVAILABLE; SEE TEXT.

1943 SUMMARY FOR THE THIRD SERVICE COMMAND

VOLUME TV REPORT NO. 12

		I								A D	МІ	SS	10	N S	5									NEU	ROPSY	CHIA	TRIC	0.5		
	Z	NGT	co.	w w	>	ZA	E B A	EA RY	NG	RIC	so.		-	SILIS	9	NL II A	918	MAL	ARIA	1	ENER			ADMIS		REMAI	NING AT	DE	ATH	15
MONTH <sup>†</sup>	MEAN	STRENGTH	CAUSES	DISEASE	INJURY	COLDS INFLUENZA ETC.*	CINCLUDING ATYPICAL)	DI SENT ERY	VENEREAL (EXCLUDING EPTI)	NEURO- PSYCHIATRI CASES	MEASLES	MUMPS	SCARLE	M*COCCFC MENINGITIS	RHEUMATIC	ATYPICAL	TUBERCULOSIS	TOTAL	ACQUIRED IN U.S.A.	SYPHILIS EXCL. EPTI	GONORRHEA EXCL. EPT!	OTHER VEN	TOTAL VENEREAL EPT!	LOGKED	OPEN	WARDS OF	OPEN WARDS	ALL	DISEASE	INJURY
					AN	NU	AL		RA	TE	S		PE	R		10	0	0	S	TR	EN	G 1	ГН							
JAN			1026	963	63	438	38.3	1.5	28.9	38.0	2.3	6.4	1.1	2.4	.1	12.7	1.0	.1	#	4,8	22.5	1.6	14.3	12.2	25.8			.8	.6	.2
FEB			940	875	65	317	20.4	2.6	23.1	25.4	13.5	9.9	1.0	2.3	. 3	7.2	1.4	.1	#	3.9	17.4	1.8	10.6	6.9	18.5			.8	.3	5
MAR			908	844	64	289	27.1	2.2	22.2	24.5	25.0	15.6	1.6	4.3	.3	10.2	1.5	.2	#	3.7	16.5	2.0	10.1	5.8	18.7			1.7	.5	1.2
APR			841	769	72	283	18.6	3.2	27.2	28.9	8.5	21.7	5.9	2.4	. 3	6.4	1.3	.3	#	4.8	19.5	2.9	14.5	6.7	22.2			1.5	.7	. 8
MAY			774	704	70	206	17.5	7.5	28.1	29.4	5.1	11.1	3.7	1.4	.4	7.0	1.4	.3	#	5.7	19.2	3.2	,28.0	6.0	23.4			1.5	.6	
JUNE			669	593	76	119	11.3	3.9	24.8	35.6	2.4	5.4	1.1	.9	6	5.1	1.2	.5	#	5.0	17.2	2.6	20.4	7.8	27.8			1.4	.6	
JULY			605	531	74	91	9.3	6.5	28.1	35.0	.7	2.4	.4	.9	.5	3.8	1.1	1.1	#	5.7	20.4	2.0	22.1	6.7	28.3			1.4	.5	
AUG			693	618	70	95	9.8	12.6	36.3	47.8	. 4	1.4	.3	.5	.6	4.1	1.2	.5	#	12.4	20.7	3.2	19.1	8.5	39.3			1.1	.4	
SEPT			674	608	66	92	9.6	8.2	28.7	62.6	.2	.6	.3	.1	.3	3,6	1.1	1.1	.3	6.3	20.1	2.3	23.1	7,9	54.7			1.4	. 3	1.0
OCT			650	578	20	103	12.4	8.2	24.4	50.4	.2	.5	.6	.4	*	4.9	1.4	1.3	.1	5.3	17.4	1.7	25.9	8.3	42.1			1.2	.5	
NOV			670	501	59	175	12.9	7.5	29.7	32.0	.5	1.2	1.3	. F.	.1	4.4	1.5	1.8	.1	9.5	19.1	1.1	32.9	6.5	25.5			1.4	.2	1.:
DEC			1090	10 33	1.0	831	20.6	11.4	26.5	28.3	1.2	2.5	1.	1.1		141		1.5	.0	10.9	17,8	1,1	47,3	6.2	a.,			1.3	.5	and a
TOTAL			130	7	159	233	17,0	6.4	27."	36.7	4.7	6.5	1.4	11.4	57	:	1,1		-		10.0	3.1	1 22.6	7.4	25.6			1.3	.5	a.5
			andrea was all assessments to be	di dilin a di an a desarra					N	UM	BE	R		0 1	F	C	) in	SE	5+					p tonium and for a se					100.0° a. 100.0° a. 40	num.
JAN *	- 3		7. 2.3	10	120.1	1=8.44	, , ,	57	1.15	915	á	153	2	-	1	500	-		9	. 1 *3	545	7.	346	193	15.4	192	525	1.	14	
FEB		- 2	J. E"	13417	1473	2006	463	27	112	565	2-3	/19	23	-	-	le le				9.7	388		235	154	411	193	551	1-	1	1
MAR	37.00	1.5	21354	13040	128	. 704	- 38	41	5.13	576	543	707	3	2.77	4	4	- 12		) H	4.8		46	231	1.17	4	121/2	537	41	13	-
APR #	3.53	17:5	F325	, 40 = 1	008	1210	583	1.0	551	900	147	. 78	183	Tis	-12	1 10	i.	ш		151	610	30	451	396		32.7	312	4	112	-
MAY	3378	77	1 ' 63	, i. , 7 ,	17/1	0178	150	132	":"	756	131	.34	96	36	_11	179	_ 7	1	n	.46	433	cl	721	185	FUI	7.4	912	30	16	=
JUNE	3:71	77	17351	15374	1977	3100	293	102	943	923	61	139	25	14	15	131	31	14		129	447	+7	1.78	<b>701</b>	~;;=	13	963	37	15	2.6
JULY #	3404	-72	1 15	17332	-423	?334	306	213	923	1146	7.0	30	12	30	17	24.8	_ 6	17	t;	187	564	67	7:0	213	127	373	1319	47	16_	37
AUG	77.53	104	17768	15"40	1928	3426	252	304	931	1235	7	35	7	14	1,6	146		14		319	531	41	482	218	15-7	310	1504	19	11	18
SEPT	/344	10%	17345	15F4F	1639	2366	247	210	779	1609	4	16	7	3	3	9%	_65	29	4	162	517	60	593	202	1407	259	1463	36	3	28
OCT *	3170	76	10820	17631	2189	3129	37"	247	744	1535	6	1.5	17	13	8	148	43	40	3	163	529	52	789	252	1283	280	1230	38	17	2
NOV	3617	13	15551	13952	1599	4068	299	173	699	743	11	27	30	13	3	101	35	42	2	220	443	26	764	152	591	296	1144	32	4	21
DEC *	3024	85	31736	30030	1706	18301	601	332	869	824	35	72	52	32	11	182	24	45	1	319	518	32	1379	182	642	312	1007	39	17	22
TOTAL	3135	83	252482	230462	22020	74953	5420	2040	8840	11717	1491	2085	519	452	115	1969	396	252	#	2087	6074	679	7242	2371	9346			421	159	26

\* INCLUDES ACUTE BRONCHITIS, ACUTE RHINITIS, CORYZA, ACUTE TONSILLITIS, ACUTE PHARYNGITIS, ACUTE NASOPHARYNGITIS, ACUTE LARYNGITIS, AND PLEURISY.

TBY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WEEKS INDICATED BY THE CALENDAR MONTH.

1943 SUMMARY FOR THE MILITARY DISTRICT OF WASHINGTON

VOLUME IV REPORT NO. 12

	F								A D	MI	SS	10	N S	3									NEU	ROPSY		TRIC	DE	ATH	19
	AN	60	<b>8</b>	> ~	S *	AIA IG	EA	AL	RIC	g)	co.	F 00	TIS	DIJ	AL	9180	MALA	RIA		ENER			ADMIS	SIONS		HING AT			
MONTH	MEAN	CAUSE	DISEASE	INJURY	COLDS INFLUENZA ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DY SENT ERY	VENEREAL (EXCLUDING EPTI)	NEURO- PSYCHIATRI CASES	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	FEVER	ATYPICAL	TUBERGULOSIS	TOTAL	ACOURRED IN U.S.A.	SYPHILIS EXCL. EPTI	GONORRHEA EXCL. EPT!	EXCL. EPTI	YENEREAL EPT!	LOCKED	OPEN	WARDS	WARDS	ALL	DISEASE	200
				AN	NU	AL		RA	TE	8		PE	R		1 (	0 0	0	8	TR	EN	GT	Н							-
JAN		776	744	32	366	75.8	4.9	19.7	23.6	7.2	2.3	.4	2.6		34.6	.9	.4	#	1.7	12.5	5.5	5.2	5.5	18.1			2.6	1.7	
FEB		714	685	29	278	40.1	6.0	21.8	20.3	14.1	7.5	2.1	1.5		28.4	2.1	-	#	1.7	14.5	5.6	4.8	2.7	17.6			2.7	2.1	
MAR		686	654	32	201	33.4	4.7	20.9	23.0	25.8	15.3	1.2	1.2	-	23.4	2.6	.2	#	2.4	13.8	4.7	2.1	3.9	19.1			2.2	1.4	
APR		619	585	34	354	32.6	5.8	19.0	29.3	4.4	18.1	1.2	1.2		21.2	1.4	-	#	1.7	13.9	3.4	5.2	3.4	25.9			3.5	2.5	
MAY		555	517	38	144	17.4	5.9	20.3	34.4	2.1	10.2	.2	1.1	_	9.6	1.7	.8	#	4.0	13.6	2.7	4.8	3.0	31.4			1.9	1.3	
JUNE		536	488	48	106	20.7	7.1	16.3	50.4	1.3	7.8	.2	1.1	_	16.9	.6	.4	#	3.0	11.4	1.9	3.4	5.2	45.2			3.4	1.7	
JULY		584	533	51	76	14.6	10.3	24.2	35.8	_	5.2	-	.4	-	12.1	.2	.4	#	2.3	18.5	3.4	6.2	4.3	31.5			2.3	1.9	T
AUG		593	545	48	80	17.7	11.8	18.3	22.6	.5	2.3	-	-	-	14.0		.2	#	1.1	15.2	2.0	3.2	3.6	19.0			3.8		1
SEPT		536	493	43	87	11.3	11.3	18.9	26.0		.7	-	_	_	8.0	1.1	.4	_	3.8	13.6	1.5		4.9	21.1			2.7		T
OCT		525	479	46	130	17.3	9.1	16.6	17.8	-	_	_	.2	40	13.3	.4	.4	-	5.1	10.8	.7	.2	4.2	13.6			3.1		T
NOV		597	549	48	158	21.9	8.1	16.1	15.5	-	1.2		_	_	16.1	-	.5		2.8	11.5	1.8	.5	3.5	12.0			3.0		Τ
DEC		1249	1210	39	759	43.0	6.9	13.5	12.0	.3	2.3	.2	.3		23.8	.3	1.7	~	1.4	11.1	1.0	.3	4.2	7.8			2.8	2.3	T
TOTAL		673	632	41	239	29.4	7.6	18.8	25.8	4.6	6.2	.5	.8		18.7	.9	. 5	#	2.5	13.4	2.9	2.9	4.0	21.8			2.9	2.0	I
				-				N	UM	BE	R		01	F	(	CA	SE	8+						-					-
JAN +	55029	4107	3935	172	1934	401	26	104	125	38	12	2	14	_	183	5	2	#	9	66	29	17	29	96	296	267	14	9	I
FEB	62608	3438	3297	141	1339	193	29	105	98	68	36	10	7	_	137	10	-	#	8	70	27	23	13	85	312	279	13	10	T
MAR	63811	3365	3209	156	987	164	23	103	113	124	75	6	6		115	13	1	#	12	68	23	10	19	94	316	287	11	7	t
APR #	61323	3648	3447	201	2089	192	34	112	173	26	107	7	7	_	125	8		#	10	82	20.	30	20	153	302	306	21	15	+
MAY	61196	2612	2432	180	677	82	28	96	162	10	48	1	5	-	45	8	4	#	19	64	13	22	14	148	279	303	9	6	-
JUNE	60137	2478	2256	222	490	96	33	76	233	6	36	1	5		78	3	2	#	14	53	9	15	24	209	239	420	16	8	1
JULY #	58433	3281	2995	286	428	82	58	136	201	-	29	-	2		68	1	2	11	13	104	19	35	24	177	208	416	13	11	1
AUG	57370	2619	2406	213	352	78	52	81	100	2	10	_	-		62	1	1	#	5	67	9	14	16	84	213	227	18	11	1
SEPT	58434	2411	2217	194	389	51	51	85	117	-	3				36	5	2	TI	17	61	7	5	22	95	181	158	12	8	
OCT *	57173	2885	2635	250	714	95	50	91	98	-	-		1		73	2	2		28	59	4	1	23	75	125	164	17	9	1
NOV	56470	2593	2385	208	685	95	35	70	67	-	5	-	_		70	-	2		12	50	8	2	15	52	94	189	13	11	
DEC =	59914	7197	6969	228	4374	248	40	78	69	2	13	1	2		137	2	10		8	64	6	2	24	45	100	122	16	13	1
TOTAL	59235	40634	38183	2451		1777	10		-	-	A.C.	-	-	-	101	-	10	-		04	0	-	63	40	100	166	10	13	+

\* INCLUDES ACUTE BRONCHITIS, ACUTE RHINITIS, CORYZA, ACUTE TONSILLITIS, ACUTE PHARYNGITIS, ACUTE MASOPHARYNGITIS, ACUTE LARYNGITIS, AND PLEURISY.

\*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WEEKS INDICATED BY \*

Form SG 674, 25 Feb 1944. CONFIDENTIAL

#DATA NOT AVAILABLE; SEE TEXT.

1943 SUMMARY FOR THE FOURTH SERVICE COMMAND

VOLUME TT REPORT NO. 12

	I								AC	MI	SS	10	N:	3									NEL	ROPS	CHIA	TRIC			
MONTH*	MEAN	7 80	A 9 E	R	BENZA C.*	NG NG	HEA	E AL DING	O- NTRIC	80 80	on o	F 00	ITIS ITIS	INC.	DAL	51607	MAL	ARIA		VENE	Y	1	ADMIS	SSIONS	REMA	INING AT	DE	ATH	15
	STR	ALL	DISEASE	INJURY	OCC.09 INFLUENZA ETC.*	CINCLUDING ATYPICAL)	DY SENT	(EXGLUDING EPT!)	PSYCHIATRI CASES	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	FEVER	PNEUMONIA	TUBERGULOSIS	TOTAL	ACQUIRED IN U.S.A.	SYPHILIS EXGL. EPTI	GONORRHEA EXCL. EPT!	OTHER VEN.	TOTAL VENEREAL EPT!	LOCKED	OPEN	WARDS		ALL	DISEASE	INJURY
				AN	NU	AL		RA	TE	S		PE	R		1 (	0	0	S	TR	-	G ·	ГН				1	I		_
JAN		96).	884	67	495	33.4	8.4	30.4	17.2	4.3	7.7	.7	2.3	.2	17.4	1.0	.3	+	5.7	21.2	3.5	13.5	7.5	9.7			1.9	-6	1.
FEB		884	198	86	359	21.6	6.9	25.1	17.4	12.1	13.0	1.0	2.8	.2	10.7	.9	.9	#	5.0	17.1		13.9	7.0	10.4			1.6	. 5	
MAR		978	895	88	358	24.1	6.7	24.8	17.0	30.7	18.4	2.2	3.9	.5	10.0	1.1	.6	#	5.0	16.1	3.7	15.5	7.5	9.5			2.3		1.
APR		835	743	92	231	18.0	11.0	28.5	18.3	17.5	20.0	2.2	3.7	.3	7.8	1.1	.6	#	6.1	19.1	3.3	20.7	8.7	9.6			2.3	.6	
MAY		695	601	94	158	13.0	12.6	27.3	22.2	7.1	11.5	1.1	1.7	.4	5.1	1.1	.8	#	5.5	18.6	3.2	19.5	10.1	12.1			2.7	.5	-
JUNE		715	618	97	115	10.0	39.5	29.7	24.0	2.8	5.7	.2	.9	.3	4.8	1.2	1.1	#	6.7	20.1	2.9	17.2	10.7	13.8					
JULY		742	648	94	109	9.1	56.6	34.1	28.2	.9	3.0	.1	.7	.2	4.2	1.0	1.1	#	8.5	21.8	3.8	18.5	11.3	16.9			8.0	.5	
AUG		786	691	95	110	11.0	34.0	30.6	33.0	.5	1.1	.1	.4	.1	5.2	1.0	.8	#	4.5	23.3	3.0	17.8					2.7	.5	
SEPT		686	600	86	99	10.9	18.3	29.1	33.8	1.2	.5	.2	.3	.2	6.9	.9	1.1	.3	5.5	20.9	2.7	22.9	11.9	21.1			2.4	-4	
OCT		643	556	87	105	10.9	8.7	28.3	36.2	1.7	.6	.1	.2	.3	5.8	.8	1.0	.2	4.8	20.9				23.3			2.2	.3	-
NOV		643	564	79	148	11.6	7.3	27.7	30.7	1.2	.9	.4	.3	.4	6.3	.8	1.3	.1	5.6	19.7	2.6	18.8	9.7	26.5			2.6		2.
DEC		958	886	72	481	18.0	8.8	25.9	28.6		2.1	.5	.5	.3	9.5	.7	1.3	.0	3.9	19.9	2.4	26.1	8.9	21.8			2.3		1.
TOTAL		793	707	86	230	15.8	18.6	28.6	25.7	6.7	7.0	.7	1.5	.3	7.8	1.0	.9	4	5.6	20.0	3.0	18.8	9.0	19.6			1.8		1.
								N		BE			0 1				SE	ST	0.0	20.0	10.0	10.0	3.0	16.2			2.3	.5	1.
JAN +	1170493	107040	99527	7513	55749	3757	945	3423	1930	480	861	76	264	27	1954	115	29	Щ	240	0704		1							
FEB	1336501	90863	82069	8794	36919	2221	709	2581	1791			105	290	23		95		#	640	2386	397	1515	842	1088	888	1002	214	70	
MAR	1519792	99286	90838	8420	36328	2444	683	2507	1730				400	47	1104	108	93	#	514	1759	308	1428	722	1069	1017	1509	165		11
APR *	1339934	107651	95760	11891	29721	2313	1411	3667		2 2 5 6			482	38	1015		77	77	505	1631	371	1583	763	967	1126	1247	231	69	16
MAY	1416538	75718	65525	10193	17166	1415	1376	2982	2415		1258		182			146		"	787	2458	422	2668	1125	1243		1489	298		22
JUNE	1410073	77588	67026	10562	12467	1081	4261	3227	2605					39	561	116	89	#	604	2025	353	2128	1098	1317		1664	287	51	23
JULY *	1378345	98318	85896	12422	14412	1206	7505	4519	3741	114	623	21	101	35	525	126	121	#	723	2185	319	1859	1164	1441	1127	1773	353		27
AUG	1366399	82646	72663	9983	11552	1152	3570	3224				8	90	27	556	129	150	#	1121	2895	503	2453	1502	2239	1110	2002	351	53	
SEPT	1352572	71334	62449	8885	10330	1135	1900	3025	3471	121	116	13	45	9	551	108	85	#	456	2452	316	1862	1254	2217	1043	2413	256		21
OCT #	1330952	82273	71140	11133	13448	1393	1112	3622			56	17	30	19	723	97	110	30	576	2167	282	2380	1089	2127	1094	2536	228	36	19
NOV	1296774	64149	56278	7871	14776	1153	733	2759	4639	217	79	16	26	38	748	104	121	23	617	2668	337	2405	1243	3396	854	3163	339	50	28
DEC *	1289047	118776	109802	8974	59631	2225	1085		3056	115	94	41	31	37	632	83	130	9	560	1962	237	2600	883	2173	875	3257	230		
TOTAL		220113	20002	0374	03031	2220	1060	3214	3539	334	255	68	59	32	1155	85	164	6	480	2474	260	2694	1111	2428	881	2917	221	45	17

# INCLUDES ACUTE BRONCHITIS, ACUTE RHINITIS, CORYZA, AGUTE TONSILLITIS, ACUTE PHARYMGITIS, ACUTE HASOPHARYMGITIS, ACUTE LARYMGITIS, AND PLEURISY.

THE CALENDAR MONTH. "MONTHS" WITH 5 WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WEEKS INDICATED BY

1943 SUMMARY FOR THE FIFTH SERVICE COMMAND

MOUNTE IN DEPOST NO 12

¥0001	WE	KEP	ואט	NO12																											
			Œ								A D	MI	SS	10	N S	3									NEU	ROPSY	CHIA	TRIC	0.5	АТН	
		Z	STRENGTH	တ	E .	>	A21	4 0 C	R X	ING	RIC	S		H	SILIS	2	AL HA	5150	MALA		1	ENER	-		ADMIS		REMAI	NING AT	UE	АІП	3
M	ONTH	MEAN	REI	ALL	DISEASE	INJURY	COLDS INFLUENZA ETC.*	UDIN	DIARRHEA AND DY SENTERY	VENEREAL (EXCLUDING EPTI)	PSYCHIATRI CASES	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	FEVER	ATTPICAL PNEUMONIA	rubergulosis	AL.	S.A.	EPTI	EPT	EPTI	REAL	0 9	200		FMONTH	SES	ASE	R.
			S	CA	DIS	2	IN	PNEUMONIA (INCLUDING ATYPICAL)	DIA	(EX	PSYC	ME	æ	30	M.C	RHE	PNE	TUBE	TOTAL	ACQUIRED IN U.S.A.	SYPHILIS EXGL. EPTI	GONORRHEA EXCL. EPT!	OTHER VEN.	TOTAL VENEREAL EPTI	WARDS	OPEN	LOCKED	OPEN	ALL	DISEASE	INJURY
						AN	NU	AL		RA	TE	S		PE	R		1 0	0			TR		G 1	Н							
	IAN			1162	1095	57	554	32.2	8.9	38.8	23.8		12.9	.9	1.8	.2	11.1	1.7	.1	#	5.5	31.1	2.2	23.3	8.3	15.5			1.7	. 5	1.2
F	EB			917	867	50	351	29.8	11.0	21.8	24.7		21.7		2.4	.2	9.2	1.2	.1	#	4.2	16.9	.7	36.0	9.5	15.2			1.4	.6	.8
A	AAR			1043	990	53	392	29.8	8.8	21.0	26.3		29.6		2.5	.4	8.7	1.3	.2	#	3.2	17.0	.8	62.3	10.2	16.1			1.6	.9	.7
4	APR			950	891	59	372	23.8	12.5	23.8	20.7		27.7		1.9	.6	6.8	1.8	.8	#	5.3	17.7	.8	66.5	3.9	16.8			1.5		1.0
P	YAN			755	690	65	228	21.6	8.9	23.8	20.4		14.4		1.6	.8	7.2	2.2		#	3.9	18.9	1.0	43.5	4.8	15.6			1.9		1.0
J	UNE			719	626	93	125	14.3	32.2	25.1	25.1	4.5	8.2	.6	1.4	.4	5.9	1.5	1.4	#	3.3	21.6	.2	37.4	4.7	20.4			2.2	.6	1.6
J	ULY			752	669	83	92	10.6	32.4	27.6	29.6	.6	3.4	.1	.6	.1	4.2	1.8	1.8	#	3.5	23.3	.8	33.5	12.1	17.5			2.0	.4	1.6
1	AUG			840	753	87	113	9.7	30.1	30.2	27.1	.1	2.2	-	45	. 2	3.9	1.5	2.1	#	4.6	24.3	1.3	40.5	9.8	17.5			2.3	.6	1.7
S	EPT			728	656	72	120	7.4	15.5	29.9	25.0	.1	1.6	. 2	. 3	.2	3.3	2×1	3.5	.2	6.1	22.8	1.0	49.8	6.8	18.2			1.6	.4	1.2
	OCT			721	648	73	127	12.5	12.9	31.7	22.7	.3	1.2	.2	.6	.2	5.1	1.4	1.1	.0	4.6	26.1	1.0	62.4	6.9	15.8			2.2	.6	1.6
1	VOV			765	692	73	196	11.3	10.2	33.3	19.6	.5	1.8	.8	.6	. 2	5.9	1.9	1.4	.2	5.8	26.2	1.3	72.3	5.7	13.9			1.5	. 4	1.1
	DEC			1160	1103	57	677	15.4	15.6	28.3	18.3	.6	2.1	2.5	. В	. 3	8.2	1.0	2,0	.2	4.9	22.1	1.3	66.4	6.0	12.3			2.3	. 7	1.5
TO	DTAL			879	811	68	28 4	18.1	16.6	27.9	23.5	6.8	10.5	1.6	1.2	. 3	6.6	1.6	1.3	<i>‡</i>	4.6	22.3	1.0	50.1	7.3	16.2			1,9	.6	1.3
										N	UM	BE	R		0 1		(	CA	SE	ST											
	IAN +	185	511	20575	19647	1028	9881	574	159	693	424	198	231	16	32	3	198	31	2	#	98	555	40	415	148	276	416	235	31	9	22
F	EB	222	168	15675	14821	854	5998	509	188	371	421	336	371	32	41	3	157	21	2	#	71	288	12	616	162	259	336	200	25	11	
A	MAR	222	544	17853	15952	900	6707	510	150	358	449	299	506	78	42	7	149	22	4	t <sup>‡</sup>	54	291	13	1068	174	275	425	347	28	16	12
-	APR #	2300	096	21017	19706	1311	8221	527	276	526	459	413	613	105	43	13	150	39	17	#	118	391	17	1473	87	372	413	604	33	10	23
A	YAN	221	335	12849	11751	1098	3880	367	152	405	347	158	246	48	27	13	123	38	20	#	67	321	17	741	81	266	383	636	32	15	17
J	UNE	230	599	12205	10618	1587	2129	24.3	546	427	426	77	139	10	24	6	100	ا 6	23	#	56	367	4	634	80	346	300	420	37	10	27
J	ULY #	213	589	15450	13744	1706	1886	218	666	568	607	13	70	3	13	2	86	38	36	#	73	479	16	688	243	309	408	511	42	9	3.5
-	AUG	2248	393	14535	13033	1502	1960	168	520	523	468	1	38		9	3	68	26	37	#	80	420	23	700	160	3 12	530	699	10	11	23
	SEPT	225	142	12623	11376	1247	2082	129	269	519	434	2	27	4	5	3	58	37	62	4	105	396	18	1 63	110	310	633	946	27	6	21
	OCT *	2170	15	15039	13527	1512	2654	261	270	661	472	7	25	5	13	5	106	25	,14		4.0	545	20	1 1302	143	3_9	310	1069	46	13	8.5
1	VOV	2214	193	13034	11790	1244	3341	192	173	567	333	8	31	13	11	4	100	3,8	24	4	98	447	22	1232	91	7.88	;83	930	2.5	7	18
3	DEC #	223	542	24938	23721	1217	14544	330	336	608	393	13	45	53	18	7	127	12	42	-1	105	476	27	1428	123		911	711	Ę.	15	32
TO	DTAL	218	60	135792	150586	15206	63283	4028	31105	6226	5233	1525	2342	367	278	69	1473	361	193	#	1021	4976	229	11.00	1633	1400			418	132	181

\* INCLUDES ACUTE BRONCHITIS, ACUTE RHINITIS, CORYZA, ACUTE TONSILLITIS, ACUTE PHARYNGITIS,

ACUTE NASOPHARYNGITIS, ACUTE LARYNGITIS, AND PLEURISY.

TBY "MONTH" IS MEANT THE FOUR OR PIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WEEKS INDICATED BY

1943 SUMMARY FOR THE SIXTH SERVICE COMMAND

VOLUME IV REPORT NO. 12

	7 9 1								AD	MI	5 9	1.0	N.	9									NE	JROPSY	CHIA	TRIC			
Jania S	THE								0	IWI 1	0 0					(y)	MAL	ARIA		ENER	REAL		MEC	CAS	SES		DE	ATH	15
MONTH+	MEAN	SES	ASE	JRY	ENZA G.*	ONIA ING	NEA D TERY	SE AL JOING	ATRICES	LES	PS	LET	GIC	ATIG	CAL	ILOSI	-					1	ADMIS	SSIONS		FMONTH			
11111	MEAN	ALL	DISEASE	INJURY	OOLDS INFLUENZA ETG.*	PNEUMONIA (INCLUDING ATYPICAL)	DI ARBEA AND DY SENTERY	VENEREAL (EXCLUDING EPTI)	PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	TUBERCULOSIS	TOTAL	ACQUIRED IN U.S.A.	SYPHILIS EXCL. EPTI	GONORRHEA EXCL. EPT!	OTHER VEN.	TOTAL VENEREAL EPT!	LOCKED	OPEN	LOCKED	OPEN	ALL	DISEASE	INJURY
				AN	NU	AL		RA	TE	S		PE	R		1 (	0 0	0	S	TR	EN	G 1	Н							
JAN		1162	1106	56	613	25.2	2.4	19.2	13.6	18.4	14.6	3.8	2.4	.5	13.7	1.5	.2	#	3,4	15.1	.7	5.9	6.8	6.8			1.0	.8	. 2
FEB		1340	1214	126	591	32.3	2.0	20.5	15.7	17.4	36.7	11.4	2.9	1.0	18.6	2.1	-	#	1.6	17.4	1.5	11.5	7.2	8.5			.9	.8	
MAR		1255	1176	79.	574	31.2	3.9	17.6	12.4	35.7	48.2	13.2	2.3	2.5	15.1	1.5	.1	#	3.6	13.6	.4	27.9	4.9	7.5			1.2		
APR		1188	1126	62	545	32.3	2.9	18.4	15.9	16.9	34.3	16.5	2.5	3.6	13.1	2.2	1.8	#	2.7	15.1	.6	35.6	5.7					.7	0.2
MAY		1004	938	66	426	30.7	6.2	19.2	15.9	9.9	20.2	11.3	1.5	4.8	17.4	1.4	3.0	#	2.5	16.1	.6	34.1	7.5	8.4			1.5	.6	0
JUNE		761	691	70	210	19.2	2.9	19.4	16.2		10.3		1.4	3.4	12.9	2.0	2.6	#	2.9	15.6	.9	33.5	7.5	8.7			1.2	.5	.7
JULY		680	609	71	105	12.6	5.2	25.0	15.3	2.2	3.0	.8	.6	3.4	7.0	1.8	1.6	#	5.2	21.1	.7	37.9	6.4	8.9			1.3	.4	.9
AUG		751	671	80	107	12.3	6.5	30.0	14.3	.2	1.1	.2	.9	1.1	8.6	1.6	1.8	#	4.2	25.5	.3	50.4	6.4	7.9			1.3	.4	
SEPT		641	582	59	131	11.3	11.1	26.5	13.5	.2	.5	.3	1.3	1.5	8.3	1.4	1.7	.5	5.2	20.6	.7	37.4	5.4	8.1			1.4		
OCT		608	561	57	107	17.3	5.5	27.4	15.0	.7	1.1	.9		1.1	10.4	1.3	3.1	.9	3.0	24.0	.4	34.7	5.3	9.7			1.2	.4	.8
NOV		875	811	64	345	18.9	4.6	24.8	18.0	.3	.9	2.1	.3	1.0	11.1		1.9	-	2.8	21.0	1.0	55.7	6.2	11.8			1.5	.7	
DEC		1205	1155	50	725	26.3	6.5	29.7	14.2	1.4	1.6	5.0	1.3	1.3	12.9	1.4	2.6	-	3.3	25.8	.6	53.7	6.0	8.2			1.3	.6	.8
TOTAL		946	877	69	366	22.2	5.0	23.5	15.0	8.9	13.9	5.6	1.5	2.1	12.2	1.6	1.7	#	3.2	19.4	.7	35.0	6.2	8.8			1.2	.6	.6
1								N	UM	BE	R		0	F	(	A	SE	ST											
JAN	179288	20026	19068	958	10570	434	42	331	236	317	251	65	42	9	236	26	4	#	58	261	12	102	118	118	119	112	17	74	
FEB	193867	19976	18097	1879	8812	481	30	305	234	260	547	170		15	278			4	24	259	22	173	107	127	110			12	-
MAR	205022	19794	18549	1245	9057	492	62	278	196	563		208		39	238		2	#	57	215	6	440	78	118	84	160	13	11	7
APR *	215869	24652	23374	1278	11306	671	61	382	330	350	711	343	52	76	272		38	#	56	313	13	738	119	211	102	243	19	14	5
MAY	210948	16302	15228	1074	6908	498	100	311	257	161	328	183	25	78	282	22	49	#	41	261	9	554	121	136	100	259	25	10	15
JUNE	212952	12473	11317	1156	3434	314	48	317	266	114	169	40	23	56	212	33	42	#	48	255	14	549	123	143	104	239	20	8	12
JULY #	217120	14210	12720	1490	2183	263	109	523	320	45	63	17	13	71	147		35	#	67	441	15	790	134	186	100	203	27	9	18
AUG	220805	12769	11404	1365	1825	209	111	510	244	4	18	4	16	18	146		30	#	72	433	5	855	109	135	98	187	23	7	16
SEPT	226717	11181	10159	1022	2276	197	194	463	235	4	9	6	22	27	145		30	6	90	360	13	652	94	141	70	194	24	5	19
ост ‡	211210	12351	11188	1163	2172	351	112	556	306	14	22	18	9	22	211		63	18	61	488	7	704	108	198	61	178	25	8	17
NOV	192904	12980	12036	944	5116	280	68	368	267	5	14	31	5	15	165		28	-	42	312	14	827	92	175	109	230	25	10	12
DEC*	190593	22086	21170	916	13293	482	120	548	260	26	29	91	23	23	237	26	47	-	60	474	11	984	109	151	108	158	23	11	12
TOTAL	206099	198800	184310	14490	76952	4672	1057	4889	3151	1863	2921	1176	Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner,	448		342	366	#	676	4072	141	7368	1312	1839	100	AVV			138

\* INCLUDES ACUTE BRONCHITIS, ACUTE RHIMITIS, CORYZA, ACUTE TONSILLITIS, ACUTE PHARYMGITIS, ACUTE LARYMGITIS, AND PLEURISY.

\*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 8 WEEKS INDICATED BY \*

1943 SUMMARY FOR THE SEVENTH SERVICE COMMAND

VOLUME IV REPORT NO. 12

DLUME IV	REPOR	r No. 1																											
	_			4-11					A D	MI	SS	10	N S	3			- Janes						NEU	ROPSY		RIC	DE	ATH	15
= 0 == 1	Z	on on	Ш	*	Z.A.	4 8 C	R Y	NG	RIC	S		-	CLIS	0	AL	SISC	M.LA	RIA	1	ENER	-	_	ADMISS	SIONS		ING AT	0		0
MONTH*	MEAN	ALL	DISEASE	INJURY	COLDS INFLUENZA ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DY SENTERY	VENEREAL (EXCLUDING EPTI)	PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	FEVER	PNEUMONIA	TUBERCULOSIS	TOTAL	ACQUIRED IN U.S.A.	SYPHILIS EXCL. EPTI	GONORRHEA EXGL, EPT!	EXCL. EPT	TOTAL VENEREAL EPT!	LOCKED	OPEN	WARDS	WARDS	CAUSES	DISEASE	INJURY
				AN	NU	AL		RA	TE	S		PE	R		10	0	0	S	TR	EN	GT	Н							
JAN		1283	1216	67	633	30.0	1.5	19.2	26.3	22.0	8.5	13.6	2.1	2.4	5.8	.9	.1	#	2.5	16.4	.3	8.9	3.9	22.4			2.6	1.3	1.3
FEB		1308	1229	79	541	40.7	2.2	16.8	21.1	38.4	13.0	14.9	2.3	4.7	13.3	.7	.1	#	2.0	14.5	.3	9.5	3.3	17.8			2.8	1.2	1.6
MAR		1304	1230	74	563	51.2	2.9	17.2	27.0	45.2	20.2	24.9	3.1	9.4	14.5	.7	.2	#	2.4	14.7	.1	13.7	7.7	19.3			1.4	.8	.6
APR		1177	1103	74	509	44.6	2.6	17.7	30.6	25.4	29.0	26.7	2.2	13.7	15.0	1.1	.6	#	3.2	14.0	.5	15.3	10.1	20.5			1.7	.9	.8
MAY		1031	955	76	396	35.6	3.4	19.7	31.1	14.2	21.6	18.1	1.5	17.4	12.3	.6	.7	#	3.0	16.0	.7	13.6	11.8	19.3			2.5	.8	1.7
JUNE	T	814	726	88	225	28.8	12.4	20.7	35.3	8.4	12.5	10.0	.8	13.6	10.6	.9	.9	#	3.0	17.4	.3	12.5	12.9	22.4			2.8	.8	2.0
JULY		757	663	94	141	18.2	10.2	22.3	36.8	3.2	6.8	4.2	.8	8.3	8.1	.6	1.0	#	2.5	19.5	.3	12.4	12.5	24.3			2.5	.6	1.9
AUG		757	673	84	120	11.8	13.0	25.8	42.3	1.6	2.7	3.3	.4	8.8	4.0	1.1	1.5	#	2.9	22.1	.8	13.8	7.9	34.4			3.6	.5	3.1
SEPT		722	636	86	129	13.1	11.8	25.5	37.6	.6	.8	1.6	.5	4.4	5.0	1.1	2.2	.1	3.9	21.8	.8	19.9	8.7	28.9			3.1	.5	2.6
OCT		688	605	83	135	14.0	9.0	27.3	37.7	1.3	.6	1.1	.4	4.8	5.9	1.0	2.2	.1	2.8	23.1	1.4	17.7	6.3	31.4			3.7	.5	3.2
NOV		817	748	69	269	21.7	13.7	27.1	32.8	1.7	1.5	2.9	.3	3.9	6.8	1.2	2.1	.1	3.3	22.1	1.7	12.9	6.5	26.3			2.5	.8	1.9
DEC		1367	1298	69	836	41.8	12.2	23.8	26.8	2.7	1.9	5.1	.9	4.9	10.7	1.1	3.1	.0	3.4	18.7	1.7	16.7	7.0	19.8			2.3	.7	1.6
TOTAL		1001	922	79	375	29.1	7.8	22.0	32.2	13.4	9.9	10.5	1.2	8.0	9.4	.9	1.2	#	2.9	18.4	.7	14.0	8.2	24.0			2.6	.8	1.8
								N	UM	BE	R		0	F	(	CA	SE	ST											1
JAN	417628	51529	48821	2708	25432	1205	61	772	1054	882	341	546	83	96	274	35	6	#	101	658	13	358	156	898	313	579	103	51	52
FEB	444179	44691	41990	2701	18488	1389	75	577	721	1311	443	508	78	161	455	25	3	#	69	497	11	320	114	607	242	614	96	41	55
MAR	454119	45554	42963	2591	19658	1788	100	599	943	1579	707	871	109	330	506	26	8	井	84	513	2	479	268	675	381	547	49	29	20
APR +	456552	51684	48426	3258	22355	1959	114	772	1345	1116	1271	1174	98	601	660	51	28	#	139	613	20	675	445	900	427	593	76	41	35
MAY	455689	36153	33492	2661	13880	1248	120	689	1092	498	757	635	52	610	432	22	24	#	104	561	24	478	415	677	463	606	87	29	58
JUNE	455339	28517	25440	3077	7886	1008	433	726	1238	295	439	351	28	475	373	32	30	#	106	608	12	437	452	786	867	670	99	27	72
JULY #	455160	33124	29033	4091	6153	795	445	975	1612	139	298	183	35	364	354	27	45	#	108	852	15	545	547	1065	333	750	111	26	85
AUG	464701	27046	24040	3006	4275	421	456	923	1511	56	95	117	14	314	142	41	53	#	102	791	30	491	281	1230	371	1020	129	18	111
SEPT	460625	25583	22529	3054	4577	463	417	939	1333	22	30	55	10	156	177	39	76	2	138	774	27	706	308	1025	339	1169	110	17	93
OCT *	457058	30227	26580	3647	5934	614	395	1203	1658	55	25	47	18	213	258	46	97	6	124	1017	62	780	276	1382	404	1106	165	24	141
NOV	441112	27724	25391	2333	9143	735	466	919	1116	59	50	98	10	134	231	42	70	2	111	751	57	437	222	894	327	980	84	21	63
DEC +	413218	54316	51570	2746	33219	1659	484	944	1064	109	76	203	34	196	426	42	124	1	134	743	67	665	278	786	278	763	92	28	64

\* INCLUDES ACUTE BRONCHITIS, ACUTE RHINITIS, CORYZA, ACUTE TONSILLITIS, ACUTE PHARYNGITIS, ACUTE LARYNGITIS, AND PLEURISY.

TBY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 8 WEEKS INDICATED BY 中.

1943 SUMMARY FOR THE EIGHTH SERVICE COMMAND

VOLUME IV REPORT NO. 12

OLUME TA	REPORT	NO																											
	I								A D	MI	SS	10	N S	3		45							NEU	ROPSY		TRIC	DE	ATH	19
********	AN	60	B B	À.	*ZA	11 A I	EA	AL	SEC	60		- "	TIS	200	AL	SISO	MALA		1	ENER			ADMIS	SIONS	9	NING AT		AII	3
MONTH	MEAN	ALL	DISEASE	INJURY	COLDS INFLUENZA ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DY SENTERY	VENEREAL (EMPLUDING EPTI)	NEURO- PSYCHIATRI CASES	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	FEVER	ATYPICAL	TURERCULOSIS	TOTAL	ACQUIRED IN U.S.A.	SYPHILIS EXOL. EPTI	GONORRHEA EXCL. EPT!	EXCL. EPTI	TOTAL VENEREAL EPT!	LOCKED	OPEN	WARDS	OPEN	ALL	DISEASE	INJURY
				AN	NU	AL		RA	TE	S		PE	R		1 0	0	0	S	TR	EN	G 1	Н							
JAN		1030	959	72	514	22.6	4.8	33.6	23.4	6,2	7.1	.7	1.2	_	6.3	1.1	.2	#	5.9	25.5	2.2	7.8	9.5	13.9			2.5	.7	1.
FEB		950	866	84	345	21.6	4.6	32.4	23.4	28.4	10.5	1.5	1.7	.2	7.2	1.7	.3	#	5.5	24.4	2,5	8.3	8.7	14.7			2.0	.7	1.
MAR		914	838	76	277	19.6	4.4	33.2	23.4	37.6	15.1	5.0	2.1	.3	7.0	1.5	.3	#	7.2	24.1	1.9	8.9	8.4	15.0			2.4	.7	1.
APR		773	694	79	188	14.4	5.6	28.5	28.9	22.5	14.3	5.6	1.5	.5	4.9	1.9	.7	. #	6.7	19.7	2.1	10.8	8.9	20.0			2.2	.6	1.
MAY		711	618	93	125	11.1	9.5	32.0	32.3	8.9	9.6	3.0	.9	.6	4.3	1.8	.9	#	6.6	23.5	1.9	15.1	9.9	22.4			2.7	.6	2.:
JUNE		718	621	97	104	11.6	16.1	31.3	35.8	3.2	4.9	1.3	.7	.4	6.2	1.4	1.2	#	6.4	22.8	2.1	14.4	11.5	24.3			2.7	.5	2.
JULY		768	665	103	90	9.2	25.0	34.1	34.9	1.2	2.3	.3	.3	.5	3.9	1.4	2.0	#	8.6	23.6	1.9	10.8	10.3	24.6			2.6	.h	2.2
AUG		830	725	105	74	7.2	20.4	28.0	46.4	.3	.8	ā.	.3		2.6	1.2	2.1	#	5.2			15.9	12.9	33.5			2.1		1.0
SEPT		717	636	81	78	6.2	17.5	29.1	46.2	.2	.5	.2	.2		2.5	1.9	3.2	.5	6.2			16.2	13.8	32.4			2.7		2.
ОСТ		706	624	82	95	7.2	10.2	28.2	36.4	.2	.4	.5	.2	.3	2.2	1.8	3.1	.4	6.3	19.7	2.2	38.1	12.9	23.5			2.2		1.
NOV		626	547	79	94	7.5	8.3	25.9	31.8	.2	.6	.5	.2	.3	2.5	1.0	3.0	.1	5.4		1.8	32.5	11.0	20.8			2.3		1.7
DEC		906	835	71	430	15.5	7.8	24.1	28,2	1.1	1.6	1.3	.5	.3	5.4	1.6	3.6	.2	5.1		2.0	31.2	10.7	17.5			2.8		2.
TOTAL		80h	719	85	203	12.8	11.2	30.0	32.4	9.1	5.7	1.7	.8	.4	4.6	1.5	1.7	#	6.3	21.7	2.0	17.7	10.7	21.7			2.4	.5	1.5
								N	UM	BE	R		0 1		(	A	SE	ST											
JAN *	953853	94482	87955	6527	47111	2070	443	3077	2153	567	647	66	111	-	578	99	19	#	538	2337	202	723	873	1280	1019	1160	228	62	166
FEB	1046079	76438	69723	6715	27788	1740	368	2603	1885	2283	846	122	136	20	582	136	21	#	439	1963	201	676	702	1183	1057	1292	158	53	105
MAR	1082846	76181	69802	6379	23059	1633	369	2768	1947	3132	1260	413	177	28	579	123	26	#	596	2009	163	739	701	1246	1055	1235	197	54	14
APR*	1120409	83322	74801	8521	20237	1556	602	3074	3117	2426	1543	606	161	58	533	203	72	#	726	2122		1167	961	2156	1059	1560	236		171
MAY	1123168	61424	53354	8070	10828	958	823	2770	2789	766	828	263	74	52	373	157	81	#	574	2028	168	1299	853	1936	1011	1752	231	49	180
JUNE	1115790	61619	53284	8335	8946	998	1385	2687	3069	273	421	112	60	36	528	123	107	#	552	1958	177	1237	984	2085	1148	1766	236	48	188
JULY *	1084322	79998	69308	10690	9417	956	2604	3548	3646	127	243	28	30	53	410	145	211	,	892	2461	195	1130	1079	2567	999	1878	277	47	230
AUG	1058175	67567	59021	8546	6016	585	1661	2286	3778	26	65	33	24	22	214	101	169	#	425	1720	141	1290	1053	2725	1080	2088	175	43	138
SEPT	1008259	55594	49330	6264	6039	483	1356	2260	3579	16	40	18	16	23	194	145	246	39	480	1648	132	1257	1067	2512	1017	1878	212	38	17/
OCT*	1053827	71543	63279	8264	9637	730	1030	2853	3694	19	45	47	21	33	225	179	315	39	634	2000		3857	1309	2385	1010	2289	223	37	186
NOV	1033622	49774	43461	6313	7453	597	661	2061	2526	19		37	13	27	199	83	233	5	426	1489		2588	876	1650	1087	2342	186		14
DEC *	1012721	88242	81273	6969	41841	1507	756	2345	2744	104			53	27	527	156	357	22	492	1660		3041	1045	1699	968		273		203
TOTAL	1056556	866184	774591	91593	218372	13813	22000	20220	34927	9758	(0.00	- 0		379	4942	- / -	1857	"		23395		19004	11503	23424				611	202

\* INCLUDES ACUTE BRONCHITIS, ACUTE RHIMITIS, CORYZA, ACUTE TOMSILLITIS, ABUTE PHARYMGITIS, ACUTE NASOPHARYMGITIS, ACUTE LARYMGITIS, AND PLEURISY.

\*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH 5 WEEKS INDICATED BY \*

1943 SUMMARY FOR THE NINTH SERVICE COMMAND

VOLUME IV REPORT NO. 12

OLUME TV	REPORT	NO	12										1		100										- 210				
	_		14-11-13	14 .					A D	MI	SS	10	N S	3	9 10								NEU	ROPSY		DEATHS			
MONTH*	NN	00	E	A	AZ *	PNEUMONIA (INCLUDING ATYPICAL)	DI ARBAEA AND DY SENT ERY	VENEREAL (EXCLUDING EPTI)	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET	SILIS	FE VER ATYPICAL	AL IIA	9818	MALA		٧	VENEREAL			ADMISSIONS		REMAINING AT		DEAT		13
	MEAN	ALL	DISEASE	INJURY	COLDS INFLUENZA ETC.*								M'COCCIC MENINGITIS		ATYPICAL	TUBERGULOSIS	TOTAL	ACQUIRED IN U.S.A.	SYPHILIS EXCL. EPTI	GONORRHEA EXCL. EPT!	EXCL. EPTI	TOTAL VENEREAL EPT!	LOCKED	OPEN	WARDS	WARDS H	ALL	DISEASE	INJURY
				AN	NU	AL	4.8.	RA	TE	S		PE	R		10	0	0	S	TR	EN	GT	Н							
JAN		947	855	92	427	16.7	4.2	21.7	15.0	11.3	7.5	1.5	2.1	.3	3.0	1.8	.3	#	2.9	15.0	3.8	1.1	5.2	9.8			2.2	.9	1.3
FEB		864	789	75	350	18.3	4.6	18.4	14.1	33.8	14.4	2.3	1.9	.3	3.3	1.9	1.1	#	2.9	13.2	2.3	2.2	5.1	9.0			1.8	.8	1.0
MAR		890	806	84	294	16.0	5.1	17.4	15.7	27.6	17.4	2.8	1.9	.6	3.4	1.6	1.2	#	2.6	13.1	1.7	2.5	4.9	10.8			2.6	.7	1.9
APR		807	724	83	251	15.4	7.5	18.4	13.0	18.2	16.4	4.4	1.9	1.0	3.7	1.7	1.4	#	3.6	13.3	1.5	6.2	3.9	9.1			2.0	.8	1.2
MAY		771	683	88	222	15.7	8.8	21.9	15.4	8.3	13.3	4.2	1.2	2.2	3.4	1.2	3.1	#	3.4	16.4	2.1	9.0	3.9	11.5			2.4	.6	1.8
JUNE		699	611	88	153	10.3	5.8	20.9	15,6	3.5	8.5	2.8	.9	1.6	2.9	1.0	4.4	#	4.9	13.8	2.2	8.1	3.9	11.7			2.5	.4	2.1
JULY		682	588	94	96	5.4	9.8	24.7	17.6	1.3	3.9	1.6	.7	1.3	1.7	.9	2.1	#	3.6	18.2	2.9	7.1	3.8	13.8			2.8	.6	2.2
AUG		708	606	102	82	4.5	7.5	25.5	17.7	.6	2.0	1.1	.9	.9	1.8	1.1	3.3	#	5.0	18.9	1.6	10.0	3.8	13.9			3.2	.5	2.7
SEPT		735	640	95	88	5.5	10.5	24.2	20.9	. 3	1.4	.8	.2	.7	1.9	1.2	2.6	.2	3.7	19.0	1.5	9.0	4.1	16.8			2.4	.4	2.0
OCT		633	554	79	84	5.4	9.3	21.4	19.7	.2	1.7	.8	.2	.5	2.2	.9	2.8	.1	3.1	17.0	1.3	12.2	3.9	15.8			2.5	.4	2.1
NOV		639	566	73	136	7.4	7.2	19.4	19.6	.2	1.4	1.5	.3	.5	2.9	.9	2.5	.1	2.8	15.6	1.0	16.1	3.5	16.1			2.0	.3	1.7
DEC		877	813	64	435	12.2	5.1	19.7	16.6	.6	2.2	2.8	.5	.7	4.2	.7	3.0	.1	3.1	15.7	.9	14.4	3.1	13.5			2.5	.4	2.1
TOTAL		765	680	85	213	10.7	7.3	21.3	16.8	7.9	7.1	2.2	1.0	.9	2.8	1.2	2.4	#	3.5	15.9	1.9	8.4	4.0	12.8			2.4	.5	1.9
								N	UM	BE	R		0 1	F	(	A	SE	ST											
JAN	817473	74429	67178	7251	33592	1311	328	1705	1182	887	589	117	162	26	237	145	27	#	226	1177	302	88	412	770	569	1011	174	68	106
FEB	825880	54870	50100	4770	22226	1160	294	1170	896	2145	917	146	122	20	212	119	67	#	185	838	147	137	322	574	704	1071	114	48	66
MAR	881885	60375	54647	5728	19938	1084	345	1183	1068	1875	1180	191	129	38	233	111	84	#	179	886	118	165	334	734	526	1132	176	49	127
APR*	958230	74379	66735	7644	23086	1417	688	1694	1197	1675	1508	402	174	91	337	156	130	#	332	1224	138	569	358	839	575	1014	183	73	110
MAY	1005884	59624	52839	6785	17166	1216	680	1703	1188	643	1026	327	91	171	262	91	240	#	266	1273	164	689	301	887	784	1169	185	44	141
JUNE	1053241	56660	49500	7160	12427	831	470	1693	1268	286	687	227	72	127	235	80	353	#	393	1119	181	659	317	951	778	1395	209	36	173
JULY *	1061145	69633	59987	9646	9766	556	997	2517	1801	135	394	161	71	132	171	92	219	#	371	1854	292	729	388	1413	769	1695	288	61	227
AUG	1065994	58075	49715	8360	6752	366	616	2088	1456	52	166	92	77	75	144	93	267	#	409	1547	132	821	315	1141	706	2279	262	39	223
SEPT	1044722	59094	51456	7638	7088	442	845	1946	1677	24	112	66	18	54	151	96	206	15	298	1526	122	721	329	1348	639	2337	194	34	159
OCT*	1019483	62020	54282	7738	8274	532	913	2100	1929	24	164	81	21	51	219	84	278	12	299	1670	131	1195	384	1545	815	2577	242	41	201
NOV	984542	48415	42839	5576	10305	561	545	1472	1483	13	103	116	24	39	219	68	192	9	216	1182	74	1221	266	1217	735	2388	154	23	131
DECF	961426	81046	75126	5920	40211	1130	473	1825	1539	57	201	261	44	67	392	65	276	5	291	1453	81	1334	291	1248	782	2272	234	42	192
TOTAL	972404	758620	674404	84216	210831	10606	7194	21096	16684	7816	7047	2187	1005	891	2812	1200	2339	#	3465	15749	1882	8328	4017	12667		1	-	558	1856

\* INCLUDES ACUTE BRONCHITIS, ACUTE RHINITIS, CORYZA, ACUTE TONSILLITIS, ACUTE PHARYNGITIS, ACUTE LARYNGITIS, AND PLEURISY.

TBY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS WITH 5 WEEKS INDICATED BY T